

Equip Cat.6 S/FTP Patch Cable, 50m, Grey

Gamintojas: **EQUIP** · Modelis: **605603** · EAN: **4015867180143** · Prekės kodas: **955825**



53,91 €

Kaina su PVM

Be PVM: **44,55 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4 x 2 AWG 28/7
- ✓ 250MHz performance Bandwidth
- ✓ Suitable for PoE, PoE+
- ✓ Stranded bare copper conductor
- ✓ Foil and braid shield Reduces EMI/RFI interference
- ✓ PIMF (Pairs in metal Foil)
- ✓ Molded boot with Strain relief
- ✓ RoHS compliant
- ✓ Low Smoke Zero Halogen (LSZH/LSOH)
- ✓ Compliant with ISO/IEC 11801 and EN 50173



Aprašymas

The equip® Cat.6 S/FTP Patch Cord is composed of high-quality materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6 cable is able to deliver ultrahigh and error-free performance in the most demanding network environments.

Techninė specifikacija

Features

Cable length 50 m

Cable standard	Cat6
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Grey
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Jacket material	Low smoke zero halogen (LSZH)
Cable shape	Round
Conductor type	Stranded
Conductor material	Copper
Cabling technology	10/100/1000Base-T(X)
Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Networking standards	IEEE 802.3, IEEE 802.5
AWG wire size	28/7
Data transfer rate	1000 Mbit/s
Frequency	250 MHz
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	PoE+
Molded cable boot	Yes
Plug and Play	Yes
Country of origin	China
Sustainability	
Doesn't contain	Halogen
Certificates	
Compliance certificates	CE, REACH, RoHS, UKCA
Certification	ISO/IEC 11801, EN50288, TIA/EIA 568-C.2
Weight & dimensions	
Width	8.34 mm
Depth	11.7 mm
Height	50000 mm
Weight	1.83 kg

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Packaging data

Package width	400 mm
---------------	--------

Package depth	80 mm
---------------	-------

Package height	340 mm
----------------	--------

Package weight	860 g
----------------	-------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Master (outer) case width	290 mm
---------------------------	--------

Master (outer) case length	350 mm
----------------------------	--------

Master (outer) case gross weight	19.3 kg
----------------------------------	---------

Master (outer) case height	380 mm
----------------------------	--------

Products per master (outer) case	10 pc(s)
----------------------------------	----------

Technical details

Sustainability compliance	Yes
---------------------------	-----

Matmenys ir svoris

Svoris	1,26kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [CE ženklimas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH

Im Defdahl 10 F, D-44141 Dortmund, DE

digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt**Saugos dokumentai**

- › [CE ženklimas](#)