

Equip Cat.6A S/FTP Outdoor Patch Cable, 7.5m, Black

Gamintojas: **EQUIP** · Modelis: **605105** · EAN: **4015867239896** · Prekės kodas: **955839**



15,90 €

Kaina su PVM

Be PVM: 13,14 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4 x 2 AWG 27/7
- ✓ 500MHz performance Bandwidth
- ✓ Transmission: 10Gbit
- ✓ Suitable for PoE, PoE+
- ✓ Stranded bare copper conductor
- ✓ Foil and braid shield Reduces EMI/RFI interference
- ✓ PIMF (Pairs in metal Foil)
- ✓ Molded boot with Strain relief
- ✓ RoHS compliant
- ✓ Jacket: LDPE for outdoor



Aprašymas

The Cat.6A S/FTP Outdoor Patch Cable is designed to deliver high-speed data transmission with superior shielding, making it ideal for outdoor and industrial applications. Engineered with robust materials, this cable is built to withstand extreme weather conditions, UV exposure, and temperature fluctuations, ensuring long-lasting performance in demanding environments.

Featuring advanced S/FTP shielding, the cable minimizes crosstalk and electromagnetic interference, ensuring a stable and reliable connection for data-intensive applications such as video streaming, gaming, and cloud computing. Its 10Gbps bandwidth capacity supports high-speed networking across long distances, making it suitable for commercial and residential outdoor setups.

The cable's durable outer jacket is resistant to moisture and abrasion, providing extra protection against environmental wear and tear. Its snagless design facilitates easy installation and prevents damage during deployment. Whether for outdoor surveillance systems, IoT devices, or networking

projects, the Cat.6A S/FTP Outdoor Patch Cable offers a dependable solution for uninterrupted connectivity.

Techninė specifikacija

Features	
Cable length	7.5 m
Cable standard	Cat6a
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector shielding	Yes
Jacket material	Low smoke zero halogen (LSZH)
Cable shape	Round
Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	PoE+
Molded cable boot	Yes
Country of origin	China
Operational conditions	
Operating temperature (T-T)	-40 - 65 °C
Certificates	
Compliance certificates	CE, RoHS
Weight & dimensions	
Width	11 mm
Depth	15 mm
Height	7500 mm
Weight	239.3 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Packaging data

Package width	250 mm
---------------	--------

Package depth	335 mm
---------------	--------

Package weight	251.4 g
----------------	---------

Package type	Polybag
--------------	---------

Logistics data

Customs product code (TARIC)	8544421000
------------------------------	------------

Master (outer) case width	380 mm
---------------------------	--------

Master (outer) case length	290 mm
----------------------------	--------

Master (outer) case gross weight	9.4 kg
----------------------------------	--------

Master (outer) case height	300 mm
----------------------------	--------

Products per master (outer) case	35 pc(s)
----------------------------------	----------

Matmenys ir svoris

Svoris	0,22kg
--------	--------

Dokumentai ir vaizdo įrašai[› Gaminio lankstinukas](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

Digital Data Communications GmbH

Im Defdahl 10 F, D-44141 Dortmund, DE

digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt