Equip Cat.6A S/FTP Outdoor Patch Cable, 40m, Black

Gamintojas: **EQUIP** · Modelis: **605112** · EAN: **4015867239964** · Prekės kodas: **955842**

49,90 €

Kaina su PVM

Be PVM: **41,24 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4 x 2 AWG 27/7
- ✓ 500MHz performance Bandwidth
- ✓ Transmission: 10Gbit
- ✓ Suitable for PoE, PoE+
- ✓ Stranded bare copper conductor
- ✓ Foil and braid shield Reduces EMI/RFI interference
- ✓ PIMF (Pairs in metal Foil)
- ✓ Molded boot with Strain relief
- ✓ RoHS compliant
- ✓ Jacket: LDPE for outdoor

Aprašymas

The Cat.6A S/FTP Outdoor Patch Cable is designed to deliver high-speed data transmission with superior shielding, making it ideal for outdoor and industrial applications. Engineered with robust materials, this cable is built to withstand extreme weather conditions, UV exposure, and temperature fluctuations, ensuring long-lasting performance in demanding environments.

Featuring advanced S/FTP shielding, the cable minimizes crosstalk and electromagnetic interference, ensuring a stable and reliable connection for data-intensive applications such as video streaming, gaming, and cloud computing. Its 10Gbps bandwidth capacity supports high-speed networking across long distances, making it suitable for commercial and residential outdoor setups.

The cable’s durable outer jacket is resistant to moisture and abrasion, providing extra protection against environmental wear and tear. Its snagless design facilitates easy installation and prevents damage during deployment. Whether for outdoor surveillance systems, IoT devices, or networking

projects, the Cat.6A S/FTP Outdoor Patch Cable offers a dependable solution for uninterrupted connectivity.

Techninė specifikacija

Features	
Cable length	40 m
Cable standard	Cat6a
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector shielding	Yes
Jacket material	Low smoke zero halogen (LSZH)
Cable shape	Round
Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	PoE+
Molded cable boot	Yes
Country of origin	China
Operational conditions	
Operating temperature (T-T)	-40 - 65 °C
Certificates	
Compliance certificates	CE, RoHS
Weight & dimensions	
Width	11 mm
Depth	15 mm
Height	40000 mm
Weight	1.25 kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Packaging content	
Quantity per pack	1 pc(s)
Packaging data	
Package width	320 mm
Package depth	470 mm
Package weight	1.26 kg
Package type	Polybag
Logistics data	
Customs product code (TARIC)	8544421000
Master (outer) case width	380 mm
Master (outer) case length	290 mm
Master (outer) case gross weight	15.9 kg
Master (outer) case height	380 mm
Products per master (outer) case	12 pc(s)
Matmenys ir svoris	
Svoris	0,93kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.