

Equip Cat 8.1 S/FTP (PIMF) Patch Cable, LSOH, 5.0m, Blue

Gamintojas: **EQUIP** · Modelis: **608034** · EAN: **4015867223512** · Prekės kodas: **955845**



20,90 €

Kaina su PVM

Be PVM: **17,27 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4x 2 AWG 24/7
- ✓ Gold Plated Connectors for high signal quality
- ✓ Stranded bare copper conductor
- ✓ Foil and braid shield reduces EMI/RFI interference
- ✓ PIMF (pairs in metal foil)
- ✓ 2000 MHz transmission Bandwidth
- ✓ Transmission: 25Gbit, 40Gbit
- ✓ interference PoE++ compatible
- ✓ RoHS compliant
- ✓ Low Smoke Zero Halogen (LSZH/LSOH)



Aprašymas

The equip® Cat 8.1 S/FTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat 8.1 cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 40G application.

Techninė specifikacija

Features

Cable length

5 m

Cable standard	Cat8.1
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Blue
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Jacket material	Low smoke zero halogen (LSZH)
Cable shape	Round
Conductor type	Stranded
Conductor material	Copper
Cabling technology	40GBase-T
Ethernet interface type	10 Gigabit Ethernet, 40 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet
Networking standards	IEEE 802.3, IEEE 802.5
AWG wire size	24/7
Data transfer rate	40000 Mbit/s
Frequency	2000 MHz
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	PoE+, PoE++ (4PPoE)
Plug and Play	Yes
Country of origin	China
Sustainability	
Doesn't contain	Halogen
Certificates	
Compliance certificates	CE, REACH, RoHS
Weight & dimensions	
Width	8 mm
Depth	8 mm
Height	5000 mm
Outer diameter	8 mm
Weight	350 g

Packaging content	
Quantity per pack	1 pc(s)
Packaging data	
Package width	330 mm
Package depth	16 mm
Package height	200 mm
Package weight	410 g
Package type	Polybag
Logistics data	
Harmonized System (HS) code	84733080
Master (outer) case width	300 mm
Master (outer) case length	380 mm
Master (outer) case gross weight	15 kg
Master (outer) case height	400 mm
Products per master (outer) case	40 pc(s)
Technical details	
Sustainability compliance	Yes

Dokumentai ir vaizdo įrašai

- › Gaminio lankstinukas
- › CE ženklimas

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › CE ženklimas