


PATCHBOX C60UTPXC6AXX1W networking cable White 1.8 m Cat6a U/UTP (UTP)

 Gamintojas: **PATCHBOX** · Modelis: **C60UTPXC6AXX1W** · EAN: **311778770744** · Prekės kodas: **959145**


32,90 €

Kaina su PVM

 Be PVM: **27,19 €**

Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Cable: up to 1.8m extractable patch cord, 100% tested
- ✓ Cable stopper: keep the cable in the extracted length
- ✓ Covers up to 30RU
- ✓ Labeling: directly label the cassettes (i.e. panel A13)
- ✓ UTP: Unshielded Twisted Pairs
- ✓ Easy swapping: easily change cassettes
- ✓ 5 year warranty
- ✓ Tool less: no tools needed at all
- ✓ Cassettes: with clip in frame function
- ✓ Cable storage: store unused patch cords right within the cabinet



Aprašymas

PATCHBOX® Cassettes are the heart of every PATCHBOX®. Each PATCHBOX® Cassette contains our unique and patented mechanism that provides state-of-the-art cable management in your network cabinet. The modular PATCHBOX® Cassettes are available in single packs and offer full customization options for the PATCHBOX®. Vary in the color (black, blue, red, green, yellow, white, purple, grey) and choose between shielded or unshielded cables. Our flat patch cables are only available as twisted pairs. Make sure you combine the PATCHBOX® Cassettes with the matching PATCHBOX® Frame (Plus+ or 365). The PATCHBOX® Cassettes are equipped with ISO/IEC 11801 Channel Class Ea and ANSI/EIA/TIA-568 Cat 6A Channel tested, RoHS compliant and PoE capable Cat.6a patch cables (STP: PoE; UTP: PoE++ (802.3bt, Type 3, 60 W)). PATCHBOX also offers high-quality fiber optic cables with Corning®-fibers (OS2 Single Mode / OM4 Multi Mode) with different connector types (LC-LC or LC-SC). Other fiber optic connector types are available on request.

Techninė specifikacija

Features	
Cable length	1.8 m
Cable standard	Cat6a
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	White
Connector 1 gender	Male
Connector 2 gender	Male
Connector contacts plating	Gold
Connector shielding	Yes
Jacket material	Polyvinyl chloride (PVC)
Cable shape	Flat
Cable class	Ea
Ethernet interface type	10 Gigabit Ethernet
AWG wire size	36
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Weight & dimensions	
Width	18 mm
Depth	630 mm
Height	40 mm
Weight	320 g
Packaging content	
Quantity per pack	1 pc(s)
Manual	Yes
Packaging data	
Package width	50 mm
Package depth	690 mm
Package height	50 mm
Package weight	90 g
Package type	Box
Matmenys ir svoris	

Svoris

0,35kg

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › [Vaizdo įrašas](#) objects.icecat.biz/objects/93564147_19929293.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

PATCHBOX

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt