


PATCHBOX .one / 8RU / STP / Green

Gamintojas: **PATCHBOX** · Modelis: **PONEX8STPGR** · EAN: **4262427630604** · Prekės kodas: **959152**



510,90 €

Kaina su PVM

Be PVM: **422,23 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Keep your rack forever organized
- ✓ Up to 10x faster installation & troubleshooting
- ✓ Up to 50% more space
- ✓ ISO/IEC 11801 Channel Class Ea
- ✓ 10-Year Warranty on patchbox.one & Cables



Aprašymas

All-in-One Cable Management Solution

With 24 Cat.6a cassettes, it eliminates clutter and maximizes airflow, improving your IT environment's health.

Speed That Pays Off

Enjoy up to 10x faster installation and troubleshooting, saving precious hours during deployment and maintenance and reducing the duration of downtimes by up to 90%.

Optimize Rack Space Like Never Before

Reclaim up to 50% more rack space thanks to its retractable cable design—no more excess cable lengths.

Color-Code Your Network Visually

Cables are available in 8 colors, supporting fast identification and structured cabling across different IT zones.

Power Ready and Standards Compliant

Our Twisted Pair Cat.6a cables meet ISO/IEC standards and support PoE (STP) and PoE++ (UTP) technologies.

Engineered for Compact Environments

Perfect for smaller server cabinets, this version can cover up to 8 rack units with 0.8m cables that are fully retractable.

Built to Last, Backed by Warranty

patchbox.one and all cables come with a 10-Year Warranty, delivering reliability you can trust in mission-critical environments.

Techninė specifikacija

Features	
Cable length	0.8 m
Cable standard	Cat6a
Cable shielding	U/FTP (STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Green
Connector 1 gender	Male
Connector 2 gender	Male
Connector contacts plating	Gold
Jacket material	Polyvinyl chloride (PVC)
Cable shape	Flat
Conductor material	Copper
AWG wire size	36
Data transfer rate	10000 Mbit/s
Bend radius (min)	1.2 cm
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	Active PoE
Country of origin	Hungary
Operational conditions	
Operating temperature (T-T)	-20 - 60 °C

Operating relative humidity (H-H) 10 - 90%

Certificates

Certification ISO/IEC 11801 Channel Class Ea, ANSI/EIA/TIA-568 Cat 6A Channel

Weight & dimensions

Width 482 mm

Depth 365 mm

Height 44 mm

Weight 5.76 kg

Packaging content

Quantity per pack 1 pc(s)

Packaging content 24 x patchbox.one / Cassette / 8RU / STP / Green 1 x patchbox.one / Frame 6 x Patchcatch 2 x /dev/mount

Packaging data

Package width 587 mm

Package depth 557 mm

Package height 55 mm

Package weight 6.7 kg

Other features

Cables included LAN (RJ-45)

Matmenys ir svoris

Svoris 6,25kg

Dokumentai ir vaizdo įrašai

- > [Gaminio lankstinukas](#)
- > [Vaizdo įrašas 1](#) objects.icecat.biz/objects/117478148_64483907.mp4
- > [Vaizdo įrašas 2](#) objects.icecat.biz/objects/117478148_64425059.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

PATCHBOX

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt