

# StarTech.com 5m CAT6 Ethernet Cable - Black CAT 6 Gigabit Ethernet Wire -250MHz 100W PoE RJ45 UTP Network/Patch Cord Snagless w/Strain Relief Individually Tested

Gamintojas: **STARTECH** · Modelis: **N6PATC5MBK** · EAN: **065030846493** · Prekės kodas: **959213**



## 14,90 €

Kaina su PVM

Be PVM: **12,31 €**

[Sandėlyje](#)



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ **HIGH PERFORMANCE CAT6 ETHERNET CABLE:** 100% copper for error-free Multi Gigabit 1/2.5/5Gbps connections; 10Gbps up to 50m; Individually Tested to comply w/ANSI/TIA-568-2.D Category 6
- ✓ **POE SUPPORT:** 24 AWG stranded copper conductors & UL Rated Wiring (E132276-A) supports up to 100W for PoE devices like VOIP phone & security systems; IEEE 802.3bt & DTE power compliance reduces cable heating
- ✓ **QUALITY CONSTRUCTION:** UL certified wire; 50-micron gold-plated connectors prevent rust/corrosion to avoid costly network downtime; High quality PVC jacket resists bending or fraying damage
- ✓ **EASY INSTALLATION:** Snagless patch cord for easy installation & flexible disconnection in wiring conduits; Compatible w/Cat5e & earlier standards; Molded boots available for constrained spaces
- ✓ **THE IT PRO'S CHOICE:** Designed for reliability in edge and on-prem deployments, our network cables are lab-tested and field-proven for seamless integration and maximum uptime; Backed by free lifetime 24/5 multi-lingual technical assistance



## Aprašymas

### Make Power-over-Ethernet-capable Gigabit network connections

This Snagless Cat 6 Patch Cable meets or exceeds all Category 6 cable specifications to ensure reliable Gigabit network connections, and features a durable PVC jacket that enables you to color code your network cable runs as needed.

To ensure long-lasting performance, this high quality Cat 6 patch cable features a snagless design that protects the RJ45 connector clips from damage and makes the cable less prone to snagging during installation. The cable also features molded PVC strain relief that prevents the RJ45 connector termination points from bending at sharp angles - reducing the risk of cable damage, which could decrease network performance.

### 100% Copper - a better value

Our Cat6 cables are manufactured using high-quality copper conductors. While many cable manufacturers offer a "cheaper" cable based on a copper-coated aluminum core, we make no compromises on quality to ensure you receive top value and performance for your network cable investment.

### 24 AWG Wire

This Cat6 network cable is constructed with 24 gauge copper wire, to support a broad range of Ethernet applications such as Power over Ethernet (PoE). Because we use a high quality copper wire, our cables easily sustain the power required for Power over Ethernet applications, whereas the inferior quality offered by copper-coated aluminum cables may be subject to insufficient power delivery, heat buildup, equipment damage and potentially, fire.

### 50-micron Gold Connectors

The high quality connectors are plated with 50-micron gold to deliver optimum conductivity while eliminating signal loss due to oxidation or corrosion.

## Techninė specifikacija

| Features                   |                          |
|----------------------------|--------------------------|
| Cable length               | 5 m                      |
| Cable standard             | Cat6                     |
| Cable shielding            | U/UTP (UTP)              |
| Connector 1                | RJ-45                    |
| Connector 2                | RJ-45                    |
| Product colour             | Black                    |
| Connector 1 gender         | Male                     |
| Connector 2 gender         | Male                     |
| Connector contacts plating | Gold                     |
| Jacket material            | Polyvinyl chloride (PVC) |
| Conductor type             | Stranded                 |
| Conductor material         | Copper                   |
| Cable rating               | CMG (CM)                 |

|                                  |                      |
|----------------------------------|----------------------|
| Cabling technology               | 10/100/1000Base-T(X) |
| Ethernet interface type          | Gigabit Ethernet     |
| AWG wire size                    | 24                   |
| Data transfer rate               | 1000 Mbit/s          |
| Frequency                        | 650 MHz              |
| Power over Ethernet (PoE)        | Yes                  |
| Snagless cable boot              | Yes                  |
| Plug and Play                    | Yes                  |
| Certificates                     |                      |
| Compliance certificates          | RoHS                 |
| Certification                    | CE, ETL, REACH       |
| Weight & dimensions              |                      |
| Weight                           | 205 g                |
| Packaging content                |                      |
| Quantity per pack                | 1 pc(s)              |
| Packaging data                   |                      |
| Package width                    | 199 mm               |
| Package depth                    | 179 mm               |
| Package height                   | 31 mm                |
| Package weight                   | 200 g                |
| Logistics data                   |                      |
| Harmonized System (HS) code      | 84733080             |
| Master (outer) case width        | 372 mm               |
| Master (outer) case length       | 418 mm               |
| Master (outer) case height       | 284 mm               |
| Products per master (outer) case | 60 pc(s)             |

## Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

## Gamintojo ir saugos informacija

### GAMINTOJAS

#### StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,  
CA

[startech.com](http://startech.com)

### ATSAKINGAS ASMUO ES

#### StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL  
[startech.com](http://startech.com)

### PLATINTOJAS

#### MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius  
[info@shopro.lt](mailto:info@shopro.lt)