

StarTech.com HPE JD094B Compatible SFP+ Module - 10GBASE-LR - 10GbE Single Mode Fiber Optic Transceiver - 10GE Gigabit Ethernet SFP+ - LC 10km - 1310nm - DDM HPE 5900, 12500, 5500

Gamintojas: **STARTECH** · Modelis: **JD094BST** · EAN: **065030868501** · Prekės kodas: **959223**



89,90 €

Kaina su PVM

Be PVM: **74,30 €**

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 100% HPE JD094B COMPATIBLE: Works with HPE switches like 5900, 12500, 5500, 5820, 5120 and others
- ✓ TECHNICAL SPECS: 10GBASE-LR / 10Gbps / Single Mode (SMF) / LC Connector / 1310nm / Digital Diagnostic Monitoring (DDM) / Distances up to 10km (6.2mi)
- ✓ TESTED FOR OEM HOST COMPATIBILITY: Hot-swappable in HPE routers and switches; DDM support reports the transceiver's status to most SNMP network management tools
- ✓ WORKS WITH MSA COMPLIANT SWITCHES: Also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules
- ✓ THE IT PRO'S CHOICE: Designed and built for IT Professionals, this SFP module is backed for life (lifetime of module, not network switch), including free lifetime 24/5 multi-lingual technical assistance



Aprašymas

10 Gbps | Single Mode Fiber | LC | 10 km (6.2 mi) | Lifetime Warranty

The JD094BST is an HPE JD094B compatible fiber transceiver module that has been designed, programmed and tested to work with HPE® brand switches and routers. It delivers dependable 10 GbE connectivity over fiber cable, for 10GBASE-LR compliant networks, with a maximum distance of up to 10 km (6.2 mi).

Technical Specifications:

- Wavelength: 1310 nm
- Maximum Data Transfer Rate: 11.1 Gbps
- Type: Single Mode Fiber
- Connection Type: LC Connector
- Maximum Transfer Distance: 10 km (6.2 mi)
- MTBF: 2,104,865 hours
- Power Consumption: Less than 1.2 Watts
- Digital Diagnostics Monitoring (DDM): Yes

This SFP+ fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.

Techninė specifikacija

Performance	
SFP transceiver type	Fiber optic
Maximum data transfer rate	10000 Mbit/s
Interface type	SFP+
Single-mode fiber (SMF) supported	Yes
Fiber optic connector	LC
SFP transceiver standard	LR
Maximum transfer distance	10000 m
Wavelength	1310 nm
Networking standards	IEEE 802.3ae
Duplex system	Full
Digital Diagnostics Monitoring (DDM)	Yes
Features	
Product colour	Silver
Housing material	Aluminium
Hot-swap	Yes
Mean time between failures (MTBF)	2104865 h
Power	
Power consumption (typical)	1.2 W

Certificates

Compliance certificates	RoHS
Certification	CE, FCC, UR

Operational conditions

Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	5 - 95%

Weight & dimensions

Width	13.9 mm
Depth	58.4 mm
Height	12.6 mm
Weight	20 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Packaging data

Package width	91 mm
Package depth	114 mm
Package height	33 mm
Package weight	49 g

Logistics data

Master (outer) case width	340 mm
Master (outer) case length	358 mm
Harmonized System (HS) code	85369010
Master (outer) case height	211 mm
Products per master (outer) case	55 pc(s)
Country of origin	China

Dokumentai ir vaizdo įrašai[› Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt