

StarTech.com HPE JD089B Compatible SFP Module - 1000BASE-T - SFP to RJ45 Cat6/Cat5e - 1GE Gigabit Ethernet SFP - RJ-45 100m - HPE 5820AF, 12500, 5500

Gamintojas: **STARTECH** · Modelis: **JD089BST** · EAN: **065030868556** · Prekės kodas: **959296**



59,89 €

Kaina su PVM

Be PVM: **49,50 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 100% HPE JD089B COMPATIBLE: Works with HPE switches like 5820AF, 12500, 5500, E4800, E4500 and others
- ✓ TECHNICAL SPECS: 1000BASE-T / 1Gbps / Copper / RJ-45 Connector / Distances up to 100m (328ft)
- ✓ TESTED FOR OEM HOST COMPATIBILITY: Hot-swappable in HPE routers and switches
- ✓ WORKS WITH MSA COMPLIANT SWITCHES: Also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules
- ✓ THE IT PRO'S CHOICE: Designed and built for IT Professionals, this SFP module is backed for life (lifetime of module, not network switch), including free lifetime 24/5 multi-lingual technical assistance



Aprašymas

10/100/1000 Mbps | Copper | RJ45 | 100 m (328 ft) | Lifetime Warranty

The JD089BST is an HPE JD089B compatible copper transceiver module that has been designed, programmed and tested to work with HPE® brand switches and routers. It delivers dependable 1 GbE connectivity over fiber cable, for 1000BASE-T compliant networks, with a maximum distance of

up to 100 m (328 ft).

Technical Specifications:

- Maximum Data Transfer Rate: 1000 Mbps
- Type: Copper
- Connection Type: RJ45 Connector
- Maximum Transfer Distance: 100 m (328 ft)
- MTBF: 4,655,371 hours
- Power Consumption: Less than 1.3 Watts
- Digital Diagnostics Monitoring (DDM): No

This SFP copper module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.

Techninė specifikacija

Performance	
SFP transceiver type	Copper
Maximum data transfer rate	1000 Mbit/s
Interface type	SFP
Maximum transfer distance	100 m
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Ethernet LAN (RJ-45) ports	1
Duplex system	Full
Auto MDI/MDI-X	Yes
Auto-negotiation	Yes
Digital Diagnostics Monitoring (DDM)	No
Features	
Product colour	Silver
Housing material	Aluminium
Hot-swap	Yes
Mean time between failures (MTBF)	4655371 h
Power	
Power consumption (typical)	1.3 W
Certificates	
Compliance certificates	RoHS

Certification	CE, FCC, UR
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	13.7 mm
Depth	68 mm
Height	13.8 mm
Weight	25 g
Packaging content	
Quantity per pack	1 pc(s)
Packaging data	
Package width	92 mm
Package depth	114 mm
Package height	33 mm
Package weight	54 g
Logistics data	
Master (outer) case width	350 mm
Master (outer) case length	410 mm
Harmonized System (HS) code	85369010
Master (outer) case height	355 mm
Products per master (outer) case	100 pc(s)
Country of origin	China

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt