

# StarTech.com Cisco SFP-GE-T Compatible SFP Module - 1000BASE-T - SFP to RJ45 Cat6/Cat5e - 10/100/1000 Mbps - RJ-45 100m - Cisco IE3400, IE3300, IE3200

Gamintojas: **STARTECH** · Modelis: **SFPC1110** · EAN: **065030846202** · Prekės kodas: **959301**



## 69,90 €

Kaina su PVM

Be PVM: **57,77 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 100% CISCO SFP-GE-T COMPATIBLE: Works with Cisco switches like IE3400, IE3300, IE3200, , and others
- ✓ TECHNICAL SPECS: 1000BASE-T / 1 Gbps / Copper / RJ-45 Connector / Distances up to 100m (328ft)
- ✓ TESTED FOR OEM HOST COMPATIBILITY: Hot-swappable in Cisco routers and switches
- ✓ WORKS WITH MSA COMPLIANT SWITCHES: Also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules
- ✓ THE IT PRO'S CHOICE: Designed and built for IT Professionals, this SFP module is backed for life (lifetime of module, not network switch), including free lifetime 24/5 multi-lingual technical assistance.



## Aprašymas

### 10/100/1000 Mbps | Copper | RJ45 | 100 m (328 ft) | Lifetime Warranty

The SFPC1110 is a Cisco SFP-GE-T compatible copper transceiver module that has been designed, programmed and tested to work with Cisco® brand switches and routers. It delivers dependable 1GbE (1000 Mbps) connectivity over copper cable, for 1000BASE-T compliant networks, with a

maximum distance of up to 100 m (328 ft).

Technical Specifications:

- Maximum Data Transfer Rate: 1.25 Gbps
- Type: Copper
- Connection Type: RJ45 Connector
- Maximum Transfer Distance: 100 m (328 ft)
- MTBF: 4,655,371 hours
- Power Consumption: Less than 1.3 Watts
- Digital Diagnostics Monitoring (DDM): No

This SFP copper module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.

Techninė specifikacija

| Performance                          |              |
|--------------------------------------|--------------|
| SFP transceiver type                 | Copper       |
| Maximum data transfer rate           | 1250 Mbit/s  |
| Interface type                       | SFP          |
| Fiber optic connector                | SFP          |
| Maximum transfer distance            | 100 m        |
| Networking standards                 | IEEE 802.3ab |
| Cabling technology                   | 1000BASE-T   |
| Ethernet LAN (RJ-45) ports           | 1            |
| Auto MDI/MDI-X                       | Yes          |
| Auto-negotiation                     | Yes          |
| Digital Diagnostics Monitoring (DDM) | Yes          |
| Features                             |              |
| Product colour                       | Silver       |
| Hot-swap                             | Yes          |
| Mean time between failures (MTBF)    | 4655371 h    |
| Power                                |              |
| Power consumption (typical)          | 1.3 W        |
| Certificates                         |              |
| Compliance certificates              | RoHS         |

|               |                    |
|---------------|--------------------|
| Certification | CE, FCC, UL, REACH |
|---------------|--------------------|

#### Operational conditions

|                                   |             |
|-----------------------------------|-------------|
| Operating temperature (T-T)       | 0 - 70 °C   |
| Storage temperature (T-T)         | -40 - 85 °C |
| Operating relative humidity (H-H) | 30 - 70%    |

#### Weight & dimensions

|        |       |
|--------|-------|
| Width  | 13 mm |
| Depth  | 70 mm |
| Height | 13 mm |
| Weight | 46 g  |

#### Packaging content

|                   |         |
|-------------------|---------|
| Quantity per pack | 1 pc(s) |
|-------------------|---------|

#### Packaging data

|                |        |
|----------------|--------|
| Package width  | 91 mm  |
| Package depth  | 113 mm |
| Package height | 33 mm  |
| Package weight | 55 g   |

#### Logistics data

|                                  |          |
|----------------------------------|----------|
| Master (outer) case width        | 206 mm   |
| Master (outer) case length       | 298 mm   |
| Harmonized System (HS) code      | 85369010 |
| Master (outer) case height       | 248 mm   |
| Products per master (outer) case | 36 pc(s) |

## Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

## Gamintojo ir saugos informacija

### GAMINTOJAS

#### StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,  
CA  
[startech.com](http://startech.com)

### ATSAKINGAS ASMUO ES

#### StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL  
[startech.com](http://startech.com)

### PLATINTOJAS

#### MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius  
[info@shopro.lt](mailto:info@shopro.lt)