ASUS RS521A-E12-RS24U Socket SP5 Rack (2U) Black, Silver

Gamintojas: **ASUS** · Modelis: **90SF03X1-M000R0** · EAN: **4711387866177** · Prekės kodas: **959744**



3 648,90 €

Kaina su PVM

Be PVM: **3 015,62 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Powerful performance: Powered by AMD EPYC 9005 processors with 192 Zen 5c cores, 12-channel, up to 5200 MHz DDR5 and support for a maximum TDP of up to 360 watts
- ✓ Scale-up storage and expansion design: Up to 24 all-flash NVMe drives on the front panel, two drives in the real panel, and 5 PCIe 5.0 slots for higher bandwidth and system upgrade
- ✓ Flexible networking module design: On-board LAN module, and OCP 3.0 module with PCIe 5.0 slot in rear panel for faster connectivity
- ✓ Air cooling solution: With heatsink achieves lower power-usage effectiveness (PUE) and optimized TCO for data centers for versatile workloads
- ✓ Enhanced IT-infrastructure management: ASUS ASMB11-iKVM remote control with ASPEED AST2600, ASUS Control Center IT management software and hardware-level Root-of-Trust solution
- ✓ Read for AI and HPC workloads: Up to two dual-slot GPUs, including NVIDIA A100 and A40, AMD Instinct and Xilinx



Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Faster storage, graphics and networking capabilities

PCI Express® (PCIe®) 5.0 delivers 32GT/s bandwidth, which is twice the speed of PCIe 4.0, and offers lower power consumption, better land scalability and backwards compatibility. ASUS servers are PCIe 5.0 ready with scalability design to satisfy the increasing workloads for modern data center.

Techninė specifikacija

Processor	
Built-in processor	No
Processor socket	Socket SP5
Number of processors supported	1
Processor manufacturer	AMD
Processor family	AMD
Compatible processor series	AMD EPYC 9004
Memory	
Number of DIMM slots	24
Supported memory types	DDR5-SDRAM
Maximum internal memory	3 TB
Supported RDIMM clock speeds	4800,6400,5600,5200,3600,4000 MHz
Storage	
Number of storage drives supported	26
Hot-swap HDD bays	Yes
Number of 2.5" bays	26
Storage drive sizes supported	M.2,2.5,3.5
Supported storage drive types	HDD & SSD
Supported storage drive interfaces	Serial Attached SCSI (SAS), Serial ATA, M.2
Network	
Ethernet LAN	Yes
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
LAN controller	Intel® I350-AM2
Ports & interfaces	
USB 2.0 ports quantity	0

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Ethernet LAN (RJ-45) ports	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
IPMI LAN (RJ-45) port	Yes
VGA (D-Sub) ports quantity	1
Expansion slots	
PCI Express x8 slots	1
PCI Express x16 (Gen 5.x) slots	2
Number of M.2 (M) slots	2
Design	
Chassis type	Rack (2U)
Product colour	Black, Silver
LED indicators	Yes
Power	
Power supply	2000 W
80 PLUS certification	80 PLUS Titanium
Operational conditions	
Operating temperature (T-T)	10 - 35 °C
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	20 - 90%
Weight & dimensions	
Width	840 mm
Depth	449 mm
Height	88.1 mm
Weight	19.1 kg
Packaging data	
Package weight	26.6 kg

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt