

Intellinet Network Patch Cable, Cat6A, 15m, Black, Copper, S/FTP, LSOH / LSZH, PVC, RJ45, Gold Plated Contacts, Snagless, Booted, Lifetime Warranty

Gamintojas: **INTELLINET** · Modelis: **318822** · EAN: **766623318822** · Prekės kodas: **962198**



21,90 €

Kaina su PVM

Be PVM: **18,10 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Augmented Category 6 (Cat6a)
- ✓ 10 Gigabit Ethernet qualified
- ✓ 500 MHz
- ✓ Low Smoke Zero Halogen (LSZH / LSOH) cable with molded boot
- ✓ Screened, fully shielded twisted pair cable
- ✓ Connection distances of up to 100 meters
- ✓ Compatible with T568A and T568B wiring
- ✓ Supports IEEE 802.3af and is DTE power compliant
- ✓ Fully backward compatible with all the previous cable categories, including Category 6, 5e and 5
- ✓ Lifetime Warranty



Aprašymas

10 Gigabit data transmission over twisted pair cable — The next generation of network technology. _x000D_ _x000D_

Intellinet Network Solutions Cat6a cables provide 10 Gigabit data transmission over twisted pair cable, allowing for connection distances of up to 100 meters. Low Smoke Zero Halogen (LSZH / LSOH) is a cable jacket made of polypropylene, which reduces the amount of toxic and corrosive gasses emitted should combustion ever occur. Typically used in poorly ventilated areas, LSZH is becoming very popular where the protection of people and

equipment from toxic and corrosive gasses is critical._x000D_

x000D

Expanded Capabilities_x000D_

- The Cat6a standard extends Cat6 electrical specifications from 250 MHz to 500 MHz_x000D_
- Ideal for server-to-server, server-to-storage and server-to-switch connections_x000D_
- Also used for distributed backbones, 10Gb-to-desktop, and active-zone cabling applications_x000D_
- Supports PoE and PoE+ applications like VoIP, WAP and security_x000D_

x000D

Lifetime Warranty_x000D_

Strict manufacturing standards ensure the highest quality in all Intellinet Network Solutions products. These cables carry a full Lifetime Warranty — the strongest commitment a business can make.

Techninė specifikacija

Features	
Cable length	15 m
Cable standard	Cat6a
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Male
Connector contacts plating	Gold
Connector shielding	Yes
Connector shield material	Aluminium
Jacket material	Low smoke zero halogen (LSZH), Polypropylene
Conductor type	Stranded
Conductor material	Copper
Networking standards	IEEE 802.3af
AWG wire size	28
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Snagless cable boot	Yes
Sustainability	
Doesn't contain	Halogen
Certificates	
Certification	GHMT
Weight & dimensions	

Weight	1.13 kg
--------	---------

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE

[intellinetnetwork.eu](mailto:info@shopro.lt)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt