

LogiLink CQ2111S networking cable White 20 m Cat6 S/FTP (S-STP) Round

Gamintojas: **LOGILINK** · Modelis: **CQ2111S** · EAN: **4052792020991** · Prekės kodas: **962756**



16,90 €

Kaina su PVM

Be PVM: **13,97 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Patch cable CAT.6 RJ45 S/FTP 250MHz
- ✓ For Gigabit Ethernet & Fast Ethernet & PoE
- ✓ Overall screen and pairs in metal foil (PiMF)
- ✓ 27/7 AWG bare copper wire
- ✓ LSZH (halogen-free and flame-retardant), IEC60332-1-2
- ✓ ISO / IEC 11801, EN50173 & TIA / EIA-568

Aprašymas

Patch cable PrimeLine, Cat.6, S/FTP, white, 20 m" from LogiLink Professional

LogiLink's Cat.6 patch cables deliver up to fast 1 Gigabit data network performance. It is conform to industry standards and European regulations. Our Premium Line Cat.6 Ethernet Patch Cable has strain relief boot and molded ends with a snagless boot design to make easy and secure connections. We carry Cat.6 patch cables in many different colors and lengths. For areas of high electromagnetic interference (EMI), it is equipped with high-quality braid shielding. That makes this Cat.6 patch cable flexible for easy installation and the four foil twisted pair shielding helps eliminate crosstalk.

Techninė specifikacija

Features	
Cable length	20 m
Cable standard	Cat6
Cable shielding	S/FTP (S-STP)

Connector 1	RJ-45
Connector 2	RJ-45
Product colour	White
Connector 1 gender	Male
Connector 2 gender	Male
Cable shape	Round
Connector contacts plating	Copper
Connector shielding	Yes
Jacket material	Low smoke zero halogen (LSZH)
Conductor material	Copper
Cable type	Straight-through cable
Cabling technology	10/100/1000Base-T(X)
Ethernet interface type	Gigabit Ethernet
AWG wire size	27/7
Frequency	250 MHz
Fire-resistant	Yes
Plug and Play	Yes
Sustainability	
Doesn't contain	Halogen
Certificates	
Compliance certificates	CE, RoHS
Certification	ISO/IEC 11801, EN50288, TIA/EIA-568-B.2-1, IEC60332-1-2
Packaging content	
Quantity per pack	1 pc(s)
Packaging data	
Package width	220 mm
Package depth	260 mm
Package weight	480 g
Logistics data	
Harmonized System (HS) code	84733080
Technical details	
Sustainability compliance	Yes

Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

2direct GmbH

Langenstück 5, 58579 Schalksmühle, DE

info@2direct.de

2direct.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt