LogiLink PA0368 mobile device charger Universal White AC Fast charging Indoor

Gamintojas: **LOGILINK** · Modelis: **PA0368** · EAN: **4052792078169** · Prekės kodas: **962777**



17,90 €

Kaina su PVM

Be PVM: **14,79 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB-A (QC) 18 W and USB-C (PD) 65 W
- ✓ Ultra-slim design, only 1.4 cm thin
- ✓ GaN technology for a more compact design and better heat dissipation
- ✓ Input: 100-240 V AC 50/60 Hz 1.5A max
- ✓ Output: USB-C: 5,0 V/3,0 A (15,0 W). 9,0 V/3,0 A (27,0 W). 12,0 V/3,0 A (36,0 W). 15,0 V/3,0 A (45,0 W). 20,0 V/3,25 A (65,0 W max.) USB-A: 5,0 V/3,0 A (15,0 W). 9,0 V/2,0 A (18,0 W). 12,0 V/1,5 A (18,0 W max.) USBA+C: 12,0 W+ 45,0 W = 57,0 W Total: 65,0
- ✓ Average efficiency during operation: 81.28 %, efficiency at low load (10 %): 80.20 %; power consumption at no load: 0.08 W
- ✓ Device protection: Overcurrent, overvoltage, over-temperature, and short circuit protections
- ✓ Compatible with a wide range of devices, including laptops, smartphones and tablets
- ✓ Color: White











Aprašymas

The LogiLink USB-C GaN 65W Charger is an ultra-slim charger that has been specially developed for tight spaces. Thanks to the innovative GaN technology, it is physically smaller and dissipates higher voltages than silicon-based chargers, with better heat dissipation. At just 1.4 cm thick, it is ideal for travelling and narrow sockets.

The charger offers a maximum total output power of 65 W. It has a USB-C port with Power Delivery (PD) 65 W and a USB-A port with Quick Charge (QC) 4.0. You can quickly charge a USB-A and a USB-C device at the same time. Wide compatibility including laptops, smartphones, tablets and more. Enhanced safety features such as over-current, over-voltage, over-temperature and short-circuit protection ensure extremely safe charging.

Techninė specifikacija

Performance	
Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
Number of simultaneously connected devices (max)	2
USB Type-C ports quantity	1
USB Type-A ports quantity	1
Wireless charging	No
Fast charging	Yes
Fast charging technology	Power Delivery 3.0, Quick Charge 4
Number of outputs	2 outputs
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	65 W
Power protection features	Over current, Over voltage, Overcharge, Overheating, Short circuit
Design	
Product colour	White
Gallium nitride (GaN) transistors	Yes
Power	
Input voltage	100 - 240 V
Input frequency	50 / 60 Hz
Input current	1.5 A
Maximum power	65 W
Maximum output voltage	20 V
Minimum output voltage	5 V
Port 1 output power	18 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Port 2 output power	65 W
Output current (5V)	3 A
Output current (9V)	2 A
Output current (12V)	1.5 A
Output current (15V)	3 A
Output current (20V)	3.25 A
Weight & dimensions	
Width	83 mm
Depth	47 mm
Height	52 mm
Weight	79 g
Packaging data	
Package width	75 mm
Package depth	50 mm
Package height	95 mm
Package weight	111 g
Package type	Box
Operational conditions	
Operating temperature (T-T)	-10 - 40 °C
Packaging content	
Quantity per pack	1 pc(s)
AC adapter included	Yes
Manual	Yes
Matmenys ir svoris	
Svoris	0,11kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

2direct GmbH
Langenstück 5, 58579 Schalksmühle, DE
info@2direct.de
2direct.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.