

Equip Cat.6A S/FTP Patch Cable, Grey, 35m

Gamintojas: **EQUIP** · Modelis: **606714** · EAN: **4015867244463** · Prekės kodas: **963084**



50,90 €

Kaina su PVM

Be PVM: **42,07 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4 x 2 AWG 26/7
- ✓ 500MHz performance Bandwidth
- ✓ Transmission: 10Gbit
- ✓ Suitable for PoE, PoE+
- ✓ Stranded bare copper conductor
- ✓ Foil and braid shield Reduces EMI/RFI interference
- ✓ PIMF (Pairs in metal Foil)
- ✓ Molded boot with Strain relief
- ✓ RoHS compliant
- ✓ Low Smoke Zero Halogen (LSZH/LSOH)



Aprašymas

The equip® 606714 Cat.6A S/FTP Patch Cable is designed to provide stable high-speed Ethernet connectivity for professional and residential network environments.

This patch cable supports bandwidths up to 500MHz and data transmission speeds of up to 10Gbps, making it suitable for short-distance, high-density installations such as patch panels, switches, servers, and network cabinets. It is compatible with PoE and PoE+ applications, allowing simultaneous data and power delivery.

Built with stranded bare copper conductors and an S/FTP structure, the cable uses foil and braided shielding with PIMF (pairs in metal foil) to minimize EMI and crosstalk. The LSZH/LSOH jacket improves safety by reducing smoke and toxic emissions, while molded boots with strain relief enhance durability. The cable complies with ISO/IEC 11801, EN 50173, and RoHS standards for reliable and compliant network deployment.

Techninė specifikacija

Features	
Cable length	35 m
Cable standard	Cat6a
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Grey
Connector 1 gender	Male
Connector 2 gender	Male
Cable shape	Round
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Jacket material	Low smoke zero halogen (LSZH)
Conductor material	Copper
Cabling technology	10GBase-T
Ethernet interface type	Fast Ethernet, Gigabit Ethernet, 2.5 Gigabit Ethernet, 5 Gigabit Ethernet, 10 Gigabit Ethernet
AWG wire size	26/7
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	PoE+
Country of origin	China
Operational conditions	
Operating temperature (T-T)	-20 - 60 °C
Certificates	
Compliance certificates	RoHS
Weight & dimensions	
Width	8.34 mm
Depth	11.7 mm
Weight	935 g
Packaging data	
Package width	360 mm

Package height	300 mm
----------------	--------

Package weight	939 g
----------------	-------

Logistics data

Harmonized System (HS) code	854442
-----------------------------	--------

Customs product code (TARIC)	8544421000
------------------------------	------------

Master (outer) case width	290 mm
---------------------------	--------

Master (outer) case length	350 mm
----------------------------	--------

Master (outer) case gross weight	15 kg
----------------------------------	-------

Master (outer) case height	380 mm
----------------------------	--------

Products per master (outer) case	12 pc(s)
----------------------------------	----------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH

Im Defdahl 10 F, D-44141 Dortmund, DE

digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt