StarTech.com SATSASDUPE11 medijos dublikatorius HDD kopijavimo aparatas Juoda 2 kopijos

Gamintojas: **STARTECH** · Modelis: **SATSASDUPE11** · EAN: **065030865517** · Prekės kodas: **963281**

1 291,90 €

Kaina su PVM

Be PVM: **1 067,69 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HDD kopijavimo aparatas
- ✓ 2 kopijos
- ✓ Sąsaja: USB 3.2 Gen 1 (3.1 Gen 1)
- ✓ Korpuso medžiaga: Plienas
- ✓ 13 GB/min
- ✓ Palaikomas kietojo disko dydis: 2.5,3.5"
- ✓ 90 x 194 x 35 mm
- ✓ Juoda

Aprašymas

Standalone Hard Drive Duplicator & Eraser SAS and SATA HDD/SSD Disk Cloner

This standalone drive duplicator and eraser supports both SATA and SAS drives, making it a great fit for enterprise storage and data center applications. Compatible with 2.5" and 3.5" drive form factors, it provides a versatile and cost-effective drive management solution.

High-speed drive duplication

With the drive duplicator, you can clone SATA or SAS drives 1:1 at speeds of up to 13 GB per minute. It provides IT professionals and system administrators with a powerful tool to effectively manage drives for backend server infrastructure or drives distributed to organizational employees. It contributes to a more efficient workflow by enabling completion of duplication tasks without the use of a computer or software. You can quickly back up and archive data, duplicate data for disk imaging, or transfer content to additional drives for office professionals, medical staff, government personnel, or other employees.

The drive cloner/eraser provides four duplication modes including System and File, All Partitions, Sector-by-Sector (Whole Drive), and Percentage Copy.

Multiple erase modes - with real-time erase confirmation

Erase SATA or SAS drives with ease, without a host computer. As a drive eraser, the SATSASDUPE11 can erase two drives simultaneously and gives you a choice of seven erase modes including Quick Erase, NIST 800-88 Rev. 1 Purge compliant Secure Erase, 1-Pass Overwrite, 3-Pass Overwrite (DoD), 3-Pass Erase and Compare, 7-Pass Overwrite, and Cryptographic Erase.

The multiple erasure modes give you the assurance that data can be securely erased when repurposing drives. This alleviates concerns over privacy-related issues when erasing sensitive data, important to many professional offices such as medical, legal and accounting firms.

The drive eraser also enables you to keep a record of completed erase jobs, with built-in erasure logging, for auditing purposes. It connects to an RS232 serial printer to print a record of the erase procedure and confirm that the erase has been successfully completed. The printed receipt clearly shows you the time and date of erase, as well as the erase mode used.

Designed for ease of use and portability

The drive duplicator and eraser provides IT professionals with an easy-to-use solution in an office or server environment. It offers convenient menu navigation buttons and a built-in LCD display that clearly identifies the duplication or erase mode and task status. Since it is OS independent, no software or drivers are required.

Its standalone operation provides quick setup, without having to connect to a computer. You can easily transfer the device from room to room, to work on drives in different locations.

Techninė specifikacija

Savybės	
Gaminio tipas	HDD kopijavimo aparatas
Vienalaikių kopijų skaičius	2 kopijos
Sąsaja	USB 3.2 Gen 1 (3.1 Gen 1)
Produkto spalva	Juoda
Korpuso medžiaga	Plienas
Kopijavimo aparato veikimo režimai	Kopija, Ištrinti

Perdavimo dažnis	13 GB/min
Lustų rinkinys	Xilinx - SPARTAN-6
Ventiliatorių skaičius	0 ventiliatorius(iai / ių)
Prievadų daugiklis	Ne
LED indikatoriai	Taip
Sertifikavimas	CE, FCC, REACH, TAA

Disko tvarkyklė

Palaikomas kietojo disko dydis	2.5,3.5"
Palaikomos kieto disko sąsajos	SAS, SAS-2, SATA, „Serial ATA II“, „Serial ATA III“

Energijos valdymas

Energijos suvartojimas	90 W
AC įėjimo įtampa	110 - 240 V
Įvesties srovė	1.2 A
Išėjimo įtampa	12 V
Išėjimo srovė	7 A
Kištuko tipas	N tipas
Pridedamos maitinimo šakutės tipai	AU, EU, NA, UK, US

Svoris ir matmenys

Matmenys (WxDxH)	90 x 194 x 35 mm
Svoris	695 g

Pakuotės duomenys

Pakuotės plotis	185 mm
Pakuotės gylis	376 mm
Pakuotės aukštis	90 mm
Paketo svoris	2,4 kg
Pakuotės ilgis	38,2 cm

Pakuotės turinys

Kintamosios srovės adapteris	Taip
Instrukcija	Taip
Pridėtų intarpų skaičius	2

Aplinkos sąlygos

Darbo santykinės drėgmės diapazonas	20 - 80%
Darbo temperatūros diapazonas (TT)	5 - 45 °C
Sandėliavimo temperatūros norma (T-T)	-20 - 85 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Techninė informacija	
Atitikties sertifikatai	RoHS
Logistikos duomenys	
Pagrindinės (išorinės) dėžės ilgis	407 mm
Pagrindinės (išorinės) dėžės plotis	474 mm
Pagrindinės (išorinės) dėžės aukštis	312 mm
Gaminių skaičius pagrindinėje (išorinėje) dėžėje	7 vnt

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Vaizdo įrašas 1 youtube.com/watch?v=VRStwRtpIrU
- Vaizdo įrašas 2 youtube.com/watch?v=CgG1FdHualM

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt