

StarTech.com HP J9150A Compatible SFP+ Transceiver Module - 10GBASE-SR~HPE J9150A Compatible SFP+ Transceiver Module - 10GBASE-SR

Gamintojas: **STARTECH** · Modelis: **J9150AST** · EAN: **065030865258** · Prekės kodas: **963441**



228,90 €

Kaina su PVM

Be PVM: **189,17 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 100% compatibility with HP J9150A guaranteed
- ✓ StarTech.com SFP modules are backed by a lifetime warranty
- ✓ Meets or exceeds OEM specifications and Multi-Source Agreement (MSA) industry standards
- ✓ Hot-swappable with fiber-optic modules
- ✓ THE IT PRO'S CHOICE: Designed and built for IT Professionals, this SFP module is backed for life (lifetime of module, not network switch), including free lifetime 24/5 multi-lingual technical assistance



Aprašymas

10 Gbps | Multi Mode Fiber | LC | 300 m (984 ft) | Lifetime WarrantyThe J9150AST is an HPE J9150A compatible fiber transceiver module that has been designed, programmed and tested to work with HPE® brand switches and routers. It delivers dependable 10 GbE connectivity over fiber cable, for 10GBASE-SR compliant networks, with a maximum distance of up to 300 m (984 ft).Technical Specifications:• Wavelength: 850 nm• Maximum Data Transfer Rate: 11.1 Gbps• Type: Multi Mode Fiber• Connection Type: LC Connector• Maximum Transfer Distance: 300 m (984 ft)• MTBF: 1,967,709 hours• Power Consumption: Less than 1.2 Watts• Digital Diagnostics Monitoring (DDM): YesThis SFP+ fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.StarTech.com SFPsAll StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and

direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.The StarTech.com Advantage

Techninė specifikacija

Performance	
SFP transceiver type	Fiber optic
Maximum data transfer rate	11100 Mbit/s
Interface type	SFP+
Multi-mode fiber (MMF) supported	Yes
Fiber optic connector	LC
SFP transceiver standard	SR
Maximum transfer distance	300 m
Wavelength	850 nm
Networking standards	IEEE 802.3ae
Duplex system	Full
Digital Diagnostics Monitoring (DDM)	Yes
Wavelength-division multiplexing (WDM)	No
Features	
Product colour	Silver
Hot-swap	Yes
Mean time between failures (MTBF)	1967709 h
Power	
Power consumption (typical)	1.2 W
Certificates	
Compliance certificates	RoHS
Certification	CE, FCC, UL
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	30 - 75%
Weight & dimensions	
Width	14 mm
Depth	57 mm
Height	13 mm
Weight	20 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Packaging data

Package width	94 mm
Package depth	117 mm
Package height	33 mm
Package weight	95 g

Logistics data

Master (outer) case width	261 mm
Master (outer) case length	302 mm
Harmonized System (HS) code	85369010
Master (outer) case height	201 mm
Products per master (outer) case	36 pc(s)

Dokumentai ir vaizdo įrašai

[› Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CAstartech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt