

StarTech.com 30m Fiber Optic Cable - Multimode Duplex 50/125 - LSZH Fiber Jumper Cord - LC/LC

Gamintojas: **STARTECH** · Modelis: **50FIBLCLC30** · EAN: **065030812801** · Prekės kodas: **964131**



57,90 €

Kaina su PVM

Be PVM: **47,85 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Immune to electrical interference
- ✓ OM2 (50/125) 500MHz multimode fiber
- ✓ LSZH (Low-Smoke, Zero-Halogen) cable jacket
- ✓ Attenuation loss meets or exceeds industry standards



Aprašymas

Connect fiber network devices for high-speed transfers with LSZH rated cable

The 50FIBLCLC30 30m LSZH LC to LC Fiber Cable features 50/125 micron fiber for high-speed, high bandwidth data transmissions over Gigabit Ethernet and Fiber Channel networks, with support for duplex multimode applications.

This LC-LC patch cable is housed in a LSZH (Low-Smoke, Zero-Halogen) flame retardant jacket, to ensure minimal smoke, toxicity and corrosion when exposed to high sources of heat, in the event of a fire. Making it ideal for use in industrial settings, central offices and schools, as well as residential settings where building codes are a consideration.

Each Duplex 50/125 (OM2) Multimode Fiber Patch Cable is individually tested and certified to be within acceptable optical insertion loss limits for guaranteed compatibility and 100% reliability and is backed by our lifetime warranty.

Techninė specifikacija

Features	
Cable length	30 m
Connector 1	LC
Connector 2	LC
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Orange
Jacket material	Low smoke zero halogen (LSZH)
Fibre optic type	OM2
Full duplex	Yes
Core diameter	50 µm
Cladding diameter	125 µm
Fiber mode structure	Multi-mode
Data transfer rate	10 Gbit/s
Sustainability	
Doesn't contain	Halogen
Certificates	
Compliance certificates	REACH, RoHS
Certification	CE
Operational conditions	
Operating temperature (T-T)	-20 - 60 °C
Storage temperature (T-T)	-20 - 60 °C
Weight & dimensions	
Weight	380 g
Packaging data	
Package width	204 mm
Package depth	191 mm
Package height	69 mm
Package weight	300 g
Logistics data	
Master (outer) case width	398 mm
Harmonized System (HS) code	85447000
Master (outer) case length	410 mm

Master (outer) case height	436 mm
----------------------------	--------

Products per master (outer) case	24 pc(s)
----------------------------------	----------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt