HP Color LaserJet Enterprise M856dn Farblaserdrucker A3 LAN Duplex

Gamintojas: **HP** · Modelis: **T3U51A#B19** · EAN: **193015438279** · Prekės kodas: **964249**



3 659,90 €

Kaina su PVM

Be PVM: **3 024,71 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Two-sided printing
- ✓ Print
- ✓ Print speed up to 55 ppm (black) and 55 ppm (colour)
- ✓ Up to 1200 x 1200 dpi















Aprašymas

Print phenomenal colour while maximising uptime – now with original HP JetIntelligence toner technology. Expect consistently fast output, brilliant prints, and the world’s strongest security.[1]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	56 ppm
Duplex printing mode	Auto
Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	56 ppm
Print speed (black, normal quality, A3)	26 ppm
Print speed (colour, normal quality, A3)	26 ppm
Warm-up time	150 s
Time to first page (black, normal)	5.9 s
Time to first page (colour, normal)	6.3 s
Watermark printing	Yes
Secure printing	Yes
Features	
Maximum duty cycle	250000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	PostScript 3, PDF 1.7, PCL 6
Recommended duty cycle	0 - 50000 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript, Barcode
Country of origin	Japan

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Replacement cartridges	W2010A HP 659A Black LaserJet Toner Cartridge (16,000 pages); W2011A HP 659A Cyan LaserJet Toner Cartridge (13,000 pages); W2012A HP 659A Yellow LaserJet Toner Cartridge (13,000 pages); W2013A HP 659A Magenta LaserJet Toner Cartridge (13,000 pages); W2010X HP 659X Black LaserJet Toner Cartridge (34,000 pages); W2011X HP 659X Cyan LaserJet Toner Cartridge (29,000 pages); W2012X HP 659X Yellow LaserJet Toner Cartridge (29,000 pages); W2013X HP 659X Magenta LaserJet Toner Cartridge (29,000 pages); W2004A HP 660A Original LaserJet Imaging Drum (65,000 pages, universal for all 4 colours)
HP segment	Business

Input & output capacity

Total number of input trays	2
Total input capacity	650 sheets
Total output capacity	500 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	550 sheets
Paper input type	Paper tray
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	6
Maximum input capacity	4450 sheets
Maximum output capacity	500 sheets

Paper handling

Maximum ISO A-series paper size	A3
Paper tray media types	Plain paper, Glossy paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper
ISO A-series sizes (A0...A9)	A3, A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Oficio, 16K
JIS B-series sizes (B0...B9)	B4, B5, B6
Envelopes sizes	B5, C5, C6, DL
Custom media width	64 - 320 mm
Custom media length	127 - 457.2 mm
Paper tray media weight	60 - 256 g/m²
Multi-Purpose Tray media weight	60 - 300 g/m²

Ports & interfaces

Direct printing	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

USB port	Yes
USB 2.0 ports quantity	4
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Network ready	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, WPA2-Enterprise, EAP-PEAP, EAP-TLS, IPSec
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint, Google Cloud Print
Performance	
Internal memory	1536 MB
Maximum internal memory	3584 MB
Memory slots	1
Internal storage capacity	16 GB
Card reader integrated	No
Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	53 dB
Sound power level (printing)	6.8 dB
Design	
Market positioning	Business
Product colour	White
Built-in display	Yes
Display	CGD
Colour display	Yes
Display diagonal	10.9 cm (4.3")
Touchscreen	Yes
Control type	Buttons, Touch
Certification	CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries.
Power	
Power consumption (printing)	870 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Power consumption (ready)	77 W
Power consumption (PowerSave)	0.7 W
Power consumption (off)	0.08 W
Energy Star Typical Electricity Consumption (TEC)	2.669 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

System requirements

Windows operating systems supported	Windows 7 Ultimate x64, Windows 7 Ultimate, Windows 7 Starter x64, Windows 7 Starter, Windows 7 x64, Windows 7, Windows 8 x64, Windows 8, Windows 8.1 x64, Windows 8.1, Windows 10 x64, Windows 10
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, MacOS
Linux operating systems supported	Yes
Other operating systems supported	Android, iOS

Operational conditions

Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Sustainability

Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	810
Carbon emissions, manufacturing (kg of CO2e)	514
Carbon emissions, logistics (kg of CO2e)	68
Total carbon emissions, w/o use phase (kg of CO2e)	206

Weight & dimensions

Width	556 mm
Depth	610 mm
Height	520 mm
Weight	52.3 kg
Pallet dimensions (W x D x H)	790 x 760 x 2107 mm

Packaging data

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Package width	786 mm
Package depth	736 mm
Package height	652 mm
Package weight	59.5 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	16000 pages
Included cartridge capacity (CMY)	13000 pages
Quick start guide	Yes
Cables included	AC

Brand-specific features

HP ePrint	Yes
HP Web Jetadmin	Yes
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
HP GTIN (EAN/UPC) with options	(ABT) 193015438231; (ABY) 193015438248; (ACQ) 193015438255; (B13) 193015438262; (B19) 193015438279; (BAZ) 193015438286
HP GTIN (EAN/UPC)	193015438231, 193015438248, 193015438255, 193015438262, 193015438279, 193015438286

Logistics data

Harmonized System (HS) code	84433210
Pallet gross weight	188.4 kg
Layers per pallet	3 pc(s)
Products per pallet	3 pc(s)

Technical details

Master (outer) cases per pallet layer	1 pc(s)
Compliance certificates	CECP
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-m856-printer-series/model/21298870?sku=T3U51A ; https://h10032.www1.hp.com/ctg/Manual/c06366062.pdf

Other features

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Recommended system requirements	2 GB available hard disk space; Internet connection; USB port; Internet browser. 2 GB available hard drive space; Internet connection or USB port.
Power supply type	Built-in 115V or 220V Power Supply
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries.
Compatible operating systems	Windows Client OS (32/64-bit): Win10, Win8.1, Win7 Starter Edition SP1, UPD Win7 Ultimate; Mobile OS: iOS, Android; Apple macOS High Sierra v10.13, Apple macOS Mojave v10.14, Mac: Apple macOS Catalina v10.15; Discrete PCL6 Printer Driver: For more information on the supported operating systems go to http://www.support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://www.support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems: For more information on the supported operating systems see http://www.hp.com/go/upd
Printing	Colour printing
Processor frequency	1.2 GHz
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	100 sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550 sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; Optional 1 x 550 and 2 x 550 tray and stand: 148 x 148 to 320 x 457.2 mm; Optional 2,700 sheet HCI paper tray and stand: 279.4 x 210 mm to 297 x 215.9
Envelope feeder	No
Pallet dimensions (W x D x H) (imperial)	789.9 x 760 x 2106.7 mm (31.1 x 29.9 x 82.9")
Pallet weight (imperial)	188.4 kg (415.4 lbs)
Acoustic power emissions (ready)	49 dB
Acoustic pressure emissions bystander (ready)	33 dB
Typical electricity consumption (TEC) number	Blue Angel: 2.669 kWh/Week; Energy Star 3.0: 0.725 kWh/Week
UNSPSC-code	43212105
Box contents	HP Color LaserJet Enterprise M856dn printer; HP Black Original LaserJet Toner Cartridge (16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (13,000 pages each); 4 HP Original LaserJet Imaging Drums (65,000 pages each colour); Getting started Guide; 1 Power cord

Matmenys ir svoris

Svoris	55,00kg

Dokumentai ir vaizdo įrašai

- CE ženklinimas
- Vaizdo įrašas objects.icecat.biz/objects/80363101_63189832.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija