ACT USB 3.0 10Gbps 60W USB Type-C (straight) to USB Type-C (up/down angled) Cable, 0.5 meters

Gamintojas: **ACT** · Modelis: **AC7470** · EAN: **8716065580181** · Prekės kodas: **964367**



16,90 €

Kaina su PVM

Be PVM: **13,97 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Cable length: 0.5 meters
- ✓ USB 3.0 10Gbps USB Type-C® straight to USB Type-C® up/down angled cable
- ✓ Connectors: USB Type-C® male (straight) - USB Type-C® male (up/down angled)
- ✓ Power Delivery: 20V @ 3A = 60W
- ✓ DisplayPort Alternate Mode support: max. video resolution: 4K @60Hz













Aprašymas

The USB 3.0 Type-C® cable is a versatile solution for connecting your USB-C devices, featuring an angled connector for enhanced convenience. With a maximum data transfer rate of up to 10Gbps, this cable is ideal for applications that require fast and reliable data transfer. The USB-C cable has one straight connector and one 90° up/down angled connector, providing flexibility in various connection scenarios. The cable supports 60W Power Delivery and DisplayPort Alternate mode with a maximum resolution of 4K@60Hz.

USB Type-C® cable: one cable for data, power and video

Use the USB Type-C® cable for seamless data transfer between USB-C devices, like computers, smartphones and tablets. The USB Type-C® 3.0 cable has a maximum data transfer speed of 10Gbps.

Furthermore, the cable can be used to charge your devices with maximum 60W when connected to a USB charger.

This cable supports DisplayPort Alternate Mode with a maximum video resolution of 4K @60Hz.

Advantages of an angled USB Type-C® cable

The USB Type-C® cable features a straight connector on one end and a 90° up/down angled connector on the other end. In combination with the reversible USB Type-C® connector, the benefits of angled USB Type-C® cables are noticeable in many situations.

This design enables convenient device connections in tight spaces and hard-to-reach areas. For devices that are often moved while plugged in, it minimizes the risk of accidental damage to the port or cable. The angled connector reduces strain on the cable, enhancing its durability and extending its lifespan. Additionally, angled cables contribute to a cleaner, more organized setup.

Techninė specifikacija

Features	
USB version	USB 3.2 Gen 2 (3.1 Gen 2)
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Angled
AWG wire size	24/32
Cable jacket material	Polyvinyl chloride (PVC)
Conductor material	Copper
Connector shielding	Yes
Cable shielding	Aluminum mylar foil
Maximum data transfer rate	10 Gbit/s
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	60 W

USB Type-C DisplayPort Alternate Mode	Yes
DisplayPort version	1.4
Maximum resolution	4096 x 2160 pixels
Thunderbolt technology	No
Power	
Input voltage	5 - 20 V
Input current (max)	3 A
Weight & dimensions	
Cable length	0.5 m
Cable diameter	4.8 mm
Packaging data	
Package width	140 mm
Package depth	15 mm
Package height	140 mm
Package weight	32 g
Packaging content	
Quantity per pack	1 pc(s)
Logistics data	
Warranty period	5 year(s)

Dokumentai ir vaizdo įrašai

› Atitikties deklaracija

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› Atitikties deklaracija