ACT Blue 10 meters LSZH SFTP CAT6A MPTL extension cable snagless with RJ45 connectors

Gamintojas: **ACT** · Modelis: **FB1510** · EAN: **8716065489194** · Prekės kodas: **964527**



39,91 €

Kaina su PVM

Be PVM: **32,98 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Cable length: 10 meters
- ✓ Easily extend a CAT6A cable in plenum spaces
- ✓ LSZH cable jacket reduces the risk of high concentrations of toxic gases in case of cable damage due to fire or short circuit
- ✓ Compliant with international standard MPTL ANSI/TIA-568.2-D
- ✓ Full copper 26AWG wires, 50µ gold-plated RJ-45 contacts
- ✓ Dust cover for protecting the connector
- ✓ Color: blue
- ✓ Cables are 100% tested











Aprašymas

The CAT6A S/FTP LSZH MPTL extension cable is compliant with MPTL (Modular Plug Terminated Link) ANSI/TIA-568.2-D. The cable is suitable for use in plenum spaces, e.g. to extend the fixed network cable of a camera or access point to a consolidation point.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

This MPTL cable can be fully included in the permanent link. The link will remain fully ANSI/TIA-568.2-D compliant, unlike RJ45 couplers.

The cable has full copper 26AWG wires, 50µ gold-plated RJ-45 contacts and a dust cover. The cable has a LSZH (Low Smoke Zero Halogen) cable jacket that reduces the risk of high concentrations of toxic gases in case the cable is damaged due to fire or short circuit.

Techninė specifikacija

Features	
Cable length	10 m
Cable standard	Cat6a
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Blue
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Jacket material	Low smoke zero halogen (LSZH)
Conductor material	Copper
AWG wire size	26
Frequency	500 MHz
Snagless cable boot	Yes
Operational conditions	
Operating temperature (T-T)	-20 - 60 °C
Certificates	
Compliance certificates	CE
Packaging content	
Quantity per pack	1 pc(s)
Other features	
Impedance	100 Ω
Logistics data	
Warranty period	5 year(s)
Technical details	
Sustainability compliance	Yes

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt