ACT USB4 20Gbps 240W USB Type-C Cable, USB-IF certified, 2 meters

Gamintojas: **ACT** · Modelis: **AC7432** · EAN: **8716065569742** · Prekės kodas: **964886**



19,90 €

Kaina su PVM

Be PVM: **16,45 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Officially USB-IF certified USB4® cable for connecting and charging USB-C devices
- ✓ Data transfer speed up to 20Gbps
- ✓ Power Delivery: Extended Power Range (EPR) up to 48V @ 5A = 240W
- ✓ Thunderbolt™ 3 Support
- ✓ DisplayPort Alternate Mode 1.4 support with a maximum video resolution up to 4K@60Hz
- ✓ Connectors: USB-C male - USB-C male
- ✓ Cable length: 2 meters
- ✓ Backwards compatible with Thunderbolt™ 3, USB 3.2, USB 3.1, USB 3.0 and USB 2.0















Aprašymas

The AC7432 is an official USB-IF certified USB-C cable that supports the USB4® protocol. The USB4® cable can reach a maximum data transfer speed up to 20Gbps and can handle 240W power because of the Extended Power Range. The AC7432 supports a maximum resolution of 4K@60Hz. Backwards compatible with Thunderbolt™3, USB 3.2, USB 3.1, USB 3.0 and USB 2.0.

Fast data, high power and video via ONE USB4® cable

The AC7432 includes an intelligent e-marker chip. This chip communicates with the connected devices, such as a laptop or charger, whose features are accessed through the cable. The AC7432 can handle data, power and video.

USB4® 20Gbps

The AC7432 USB-C cable includes the USB4® technology. USB4® supports by default the Thunderbolt™3 protocol. The cable supports a maximum data transfer speed up to 20Gbps.

Power Delivery: Extended Power Range 240W

The EPR adds additional Power Delivery profiles, 28V, 36V and 48V, to the USB4® cable. The AC7432 includes the 48V profile that enables the cable to transfer a maximum power of 240W. As other cables with SPR (Standard Power Range) and without e-marker only can deliver 60W.

DisplayPort Alternate Mode protocol

The USB4® cable supports the DisplayPort Alternate Mode 1.4 (DP Alt Mode) protocol to distribute video over USB-C. The AC7432 supports a maximum resolution of 4K@60Hz monitor.

Officially USB-IF certified

The AC7432 is officially certified by the USB-IF corporation. The cable is tested to the highest standards by USB-IF. The official USB-IF logo can be found on the connector. ACT is member of the USB Implementers Forum, Inc.

Techninė specifikacija

Features	
USB version	USB4 Gen 2x2
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	34/26/32/30
Cable jacket material	Polyvinyl chloride (PVC)
Conductor material	Tinned copper

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Cable shielding	Aluminum mylar foil
Maximum data transfer rate	20 Gbit/s
Cable type	Round cable
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	240 W
USB Type-C DisplayPort Alternate Mode	Yes
DisplayPort version	1.4
Maximum resolution	4096 x 2160 pixels
Maximum refresh rate	60 Hz
Thunderbolt technology	Yes
Thunderbolt version	3
Power	
Output voltage	5 - 48 V
Output current (max)	5 A
Weight & dimensions	
Cable length	2 m
Cable diameter	5.1 mm
Packaging content	
Quantity per pack	1 pc(s)
Certificates	
Certification	USB-IF

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt