ACT USB4® 20Gbps cable, USB-C, USB-IF certified, 1 meter

Gamintojas: **ACT** · Modelis: **AC7431** · EAN: **8716065501957** · Prekės kodas: **964888**



15.90€

Kaina su PVM

Be PVM: **13.14€**

In Stock

Prekė internetu


Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Officially USB-IF certified USB4® connection cable
- ✓ Data transfer speed up to 20Gbps
- ✓ Extended Power Range (EPR) up to 48V @ 5A = 240W
- ✓ Maximum video resolution: 1x 5K @ 60Hz or 2x 4K @ 60Hz
- ✓ Connectors: C male - C male
- ✓ Cable length: 1 meter
- ✓ Backwards compatible with Thunderbolt™3, USB 3.2 and USB 2.0

















Aprašymas

The AC7431 is an official USB-IF certified USB-C cable that supports the USB4® protocol. The USB4® cable can reach a maximum data transfer speed up to 20Gbps and can handle 240W power because of the Extended Power Range. The AC7431 supports a maximum resolution of one 5K monitor or two 4K monitors in daisy chain mode. Backwards compatible with Thunderbolt™3, USB

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

3.2 and USB 2.0.

Fast data, high power and video via ONE USB4® cable

The AC7431 includes an intelligent e-marker chip. This chip communicates with the connected devices, e.g. laptop or charger, which features are supported by the cable. The AC7431 can handle data, power and video.

USB4® 20Gbps

The AC7431 USB-C cable includes the USB4® technology. USB4® supports by default the Thunderbolt™3 protocol. The cable supports a maximum data transfer speed up to 20Gbps.

Power Delivery: Extended Power Range 240W

The EPR adds additional Power Delivery profiles, 28V, 36V and 48V, to the USB4® cable. The AC7431 includes the 48V profile that enables the cable to transfer a maximum power of 240W. As cables with SPR (Standard Power Range) only can deliver 60W.

DisplayPort Alternate Mode protocol

The USB4® cable supports the DisplayPort Alternate Mode (DP Alt Mode) protocol to distribute video over USB-C. The AC7431 supports a maximum resolution of one 5K @ 60Hz monitor or two 4K @ 60Hz monitors in the daisy chaining setup.

Officially USB-IF certified

The AC7431 is officially certified by the USB-IF corporation. The cable is tested to the highest standards by USB-IF. The official USB-IF logo can be found on the connector. ACT is member of the USB Implementers Forum, Inc.

Techninė specifikacija

Features	
USB version	USB4 Gen 2x2
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	30/32/34/26
Magnetically shielded	Yes
Cable jacket material	Polyvinyl chloride (PVC)
Conductor material	Tinned copper
Maximum data transfer rate	20000 Mbit/s
Maximum data transfer rate	20 Gbit/s

Cable type	Round cable
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	240 W
Power	
Output voltage	48 V
Output current (max)	5 A
Weight & dimensions	
Cable length	1 m
Packaging data	
Package type	Polybag
Package width	130 mm
Package depth	15 mm
Package height	210 mm
Package weight	51 g
Packaging content	
Quantity per pack	1 pc(s)
Matmenys ir svoris	
Svoris	0.05kg

Gamintojo ir saugos informacija

MANUFACTURER

Intronics BV
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt