

ACT DD1905 networking cable Black 5 m Cat6 U/FTP (STP)

Gamintojas: **ACT** · Modelis: **DD1905** · EAN: **8716065552713** · Prekės kodas: **965149**



20,90 €

Kaina su PVM

Be PVM: **17,27 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Cable length: 5 meters
- ✓ CAT6A U/FTP Slimline patch cable with angled 360° rotatable RJ45 connectors on both sides
- ✓ Ideal for situations with limited space without stressing the bending radius
- ✓ Full copper 32AWG wires, 50μ gold RJ45 contacts
- ✓ Outer diameter jacket of only 4mm to improve air flow in cabinet
- ✓ Compliant with international standards
- ✓ Cables are 100% tested
- ✓ Colour: Black



Just one cable for all angles



Aprašymas

This CAT6A U/FTP slimline cable is specially designed for situations with limited space, without having to worry about bending radius. The 360° rotatable RJ45 connectors allows to lay the cable exactly how it is needed, for a neat and organized installation. Thanks to the thin 4mm cable jacket, it will also improve airflow in cabinets, improving cooling. 100% tested quality and a 5-year warranty.

CAT6A U/FTP slimline datacenter patch cables are smaller in diameter (4mm vs 5.9mm) than regular CAT6A patch cords. Their smaller bend radius also improves upon that of standard patch cords. This leads to better airflow in the server rack or network cabinet.

The patch cable has angled 360° rotatable/swivel RJ45 connectors. Ideal for situations where space is limited without compromising the bend radius. For example in network cabinets and behind equipment.

The ACT U/FTP patch cable features full copper 32AWG wires and 50μ gold-plated RJ45 contacts. The full copper wires provide superior conductivity and durability, ensuring reliable and efficient data transmission. The 50μ gold-plated RJ45 contacts offer enhanced corrosion resistance and improved signal quality, resulting in better overall performance and longevity.

Techninė specifikacija

Features	
Cable length	5 m
Cable standard	Cat6
Cable shielding	U/FTP (STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Angled
Connector 2 form factor	Angled
Connector contacts plating	Gold
Jacket material	Polyvinyl chloride (PVC)
AWG wire size	32
Frequency	500 MHz
Operational conditions	
Operating temperature (T-T)	-20 - 60 °C

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV

Koolhovenstraat 1E, 3772 MT Barneveld, NL

intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt