ACT Extension lead PDU 19" C14 IEC60320 with 8 type F sockets, 3m H05VV-F 3G1.0

Gamintojas: **ACT** · Modelis: **PD3004** · EAN: **8716065572780** · Prekės kodas: **965221**

43,90 €

Kaina su PVM

Be PVM: **36,28 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extension lead PDU 19" C14 IEC60320 8x grounded type F sockets, max. 2500W / 10A Thermal overload protection with reset button
- ✓ Cable length: 3 meters H05VV-F 3G1.0
- ✓ Ideal for installation in 19 inch network cabinets or server racks (19 inch 1U)
- ✓ Aluminium housing and 45° angled red sockets with child protection
- ✓ Red sockets for better identification and safety when used with a UPS
- ✓ Multi-angled mounting brackets: multiple mounting positions
- ✓ Mounting material included: cage nuts, bolts and plastic washers





Aprašymas

The PD3004 19” power extension lead PDU adds eight grounded type F sockets to your power management system. The power extension lead is designed to fit into a 1U 19” rack and includes a 3m H05VV-F 3G1.0 cable with C14 connector. The PD3004 is equipped with overload protection and a reset button. The red sockets provide better identification when used with a UPS. The mounting brackets can be placed in various positions. All mounting material is included: cage nuts, screws and plastic washers.

8x 45° angled red sockets

The PD3004 has 8 grounded type F sockets. Each socket is angled 45° and has child protection. The red color of the outlets provides better identification for critical equipment used with a UPS.

Fits 1U 19 inch server racks

Use the extension lead PDU in network cabinets or server racks. The PD3004 fits in a 1U 19 inch server rack.

Thermal overload protection

The PD3004 is equipped with a 2500W / 10A thermal overload protection and a reset button.

Multi-angled mounting brackets

The mounting brackets can be placed at various angles for optimal installation of the extension lead power strip. All mounting material is included: cage nuts, bolts and plastic washers.

Techninė specifikacija

Features	
Cable length	3 m
Placement supported	Indoor
On/off switch	No
AC outlet types	Type F
Power plug type	C14 coupler
Power plug form factor	Straight
Indication light	Yes
Product colour	Black, Red
Child protection	Yes
Ports & interfaces	
AC outlets quantity	8 AC outlet(s)
Power	
AC input voltage	230 V
Maximum input power	2500 W
Maximum current	10 A

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Technical details	
Warranty period	5 year(s)

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt