ACT USB-C/USB-A Charger 65W 3-port with Power Delivery PPS, QuickCharge and GanFast

Gamintojas: **ACT** · Modelis: **AC2170** · EAN: **8716065567946** · Prekės kodas: **965243**



27,90 €

Kaina su PVM

Be PVM: **23,06 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės


- ✓ USB-C 65 Watt Power Delivery PPS charger for charging 3 devices at once
- ✓ Three USB ports: 2x USB-C and 1x USB-A
- ✓ Powerful charging performance in a compact design with GaNFast technology
- ✓ Supports USB-C charging for laptops (Dell, HP, Lenovo, Google Pixelbook)
- ✓ Supports fast charging for latest generation Apple MacBook Air M1/M2/M3, iPhone and iPad
- ✓ Supports fast charging for Android Power Delivery and Quick Charge enabled devices
- ✓ Charge up to three devices simultaneously with the 3-port USB charger, providing a maximum of 65W from the USB-C port alone and up to 18W from the USB-A port; power distribution varies in dual and triple port use.



















Aprašymas

The AC2170 3-Port 65W USB-C Charger can charge up to three devices simultaneously. The AC2170 features Power Delivery PPS and Quick Charge for efficient charging. The charger is easy to carry and works with both Apple and Android devices. Supports USB-C charging of laptops up to 65W. Charging automatically stops when the battery is full.

Charge three devices at once

Charge up to three devices at once with the 3-port USB charger. The USB-C port can provide max. 65W in single port use and the USB-A port can provide max. 18W in single port use. When two or three devices are connected, the USB distribution changes. There are three main scenarios: single port use, dual port use, and triple port use.

Single Port Use:
USB-C Port (only one in use): 65W
or
USB-A Port: 18W QC

Dual Port Use:
USB-C1 Port + USB-C2 Port:
USB-C1: 45W
USB-C2: 20W

When using the USB-A port in combination with a USB-C port, we recommend using the USB-C1 port for the best charging performance.

USB-C1 Port + USB-A Port:
USB-C1: 45W
USB-A: 18W QC

Triple Port Use:
USB-C1 Port: 45W
USB-C2 Port: 6W
USB-A Port: 6W

Dynamic charging: Power Delivery PPS

The AC2170 charger supports Power Delivery PPS (Programmable Power Supply) on its USB-C ports. Power Delivery PPS ensures the most efficient charging of your device by adding additional charging profiles. Charging is dynamically adapted to meet the specific needs of the device. Efficient charging generates less heat and prolongs battery life.

Quick charge

The USB-A port supports the Quick Charge 3.0 fast charging protocol and provides a maximum of 18W. The USB-C ports support Quick Charge 4+.

GaNFast technology: compact yet powerful

The AC2170 USB charger features fast charging GaNFast technology. This means that Gallium Nitride is used as the semiconductor. This results in efficient and high performance in a compact housing with minimal heat dissipation.

Works with both Apple and Android smartphones and tablets

Connect your Android smartphone/tablet and latest generation iPhone/iPad to the ACT 65W USB-C Fast Charger to charge your device.

Laptop charging

The AC2170 can be used to charge your laptop. The universal USB charging technology can be used to charge Dell, HP, Lenovo and Google Pixelbook laptops. The latest generation of Apple MacBook Air M1/M2/M3 laptops are also supported.

Techninė specifikacija

Performance	
Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
Number of simultaneously connected devices (max)	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB Type-C ports quantity	2
Fast charging	Yes
Fast charging technology	GaN, Power Delivery, Programmable Power Supply (PPS), Quick Charge 3.0, Quick Charge 4+
Programmable power supply (PPS)	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
Design	
Product colour	White
Gallium nitride (GaN) transistors	Yes
Power	
Input voltage	100 - 240 V
Input frequency	50/ Hz
Maximum power	65 W
Maximum output voltage	20 V
AC adapter output current	3.25 A
Port 1 output power	18 W
Port 2 output power	18 W
Port 3 output power	45 W
Output current (5V)	3 A
Output current (9V)	3 A

Output current (12V)	3 A
Output current (15V)	3 A
Output current (20V)	3.25 A
Average active efficiency	82.8 %
Efficiency at low load (10%)	Yes
Efficiency (@10 %)	67.9%
Packaging data	
Package type	Hanging box
Packaging content	
Quantity per pack	1 pc(s)

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt