

ACT AC1615 saugojimo diskų korpusas SSD korpusas Juoda M.2

Gamintojas: ACT · Modelis: AC1615 · EAN: 8716065553406 · Prekės kodas: 965251



33,90 €

Kaina su PVM

Be PVM: 28,02 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ SSD korpusas M.2 M.2
- ✓ NVMe
- ✓ USB jungtis
- ✓ TRIM palaikymas UASP palaikymas
- ✓ 10 Gbit/s
- ✓ Juoda




Up to 100MB/s
USB-C to USB-A
10 Gbps
Tool-free design



For NVMe SSD
For SATA III SSD
Compatible with USB-A to USB-C adapter
Included: USB-C to USB-A Adapter



USB-C M.2 NVMe / PCIe SSD Enclosure
Tool-free design



Aprašymas

DESCRIPTION

The AC1615 USB-C SSD Enclosure is the ideal solution to protect your M.2 NVMe/PCIe SSD. The enclosure is suitable for NVMe/PCIe SSDs with M key or B+M key. The enclosure is lightweight, pocket-sized and tool-free. The solid aluminium case provides better heat dissipation. The AC1615 is USB

powered and supports USB 3.2 Gen2 with a data transfer speed of 10Gbps. A USB-C to USB-C cable and a USB-C to USB-A adapter are included. The case supports UASP for higher data transfer.

Compatible with M.2 NVMe/PCIe SSDs with M key and B+M key

This SSD enclosure is suitable for M.2 NVMe/PCIe SSDs with M key and B+M key. You always have the right enclosure for your drive. Solid aluminium enclosure for better heat dissipation Securely store your M.2 SATA/NVMe SSD in this USB-C enclosure. The solid aluminium housing provides better heat dissipation.

SuperSpeed USB 10Gbps

The enclosure is USB powered. An external power adapter is not needed. This makes the enclosure easy to use on the go. It supports SuperSpeed USB 3.2 Gen2 (up to 10Gbps) and UASP (USB Attached SCSI-Protocol). This ensures fast data transfer speeds. The enclosure is backward compatible with USB 3.0 and USB 2.0.

Easy to install

The AC1615 is a tool-less enclosure. Easily insert and secure your M.2 enclosure without tools. A USB-C to C connection cable is included. Use the provided USB-A adapter to connect the enclosure to a USB-A data port.

Techninė specifikacija

Laikmenos	
Saugojimo kaupiklio dydis	M.2
Palaikomi saugojimo kaupiklių sąsajos	M.2
NVMe	Taip
Ryšys	
USB jungtis	Taip
USB versija	3.2 Gen 2 (3.1 Gen 2)
USB jungtis	C tipo USB
USB jungties lytis	Lizdinis
Konstrukcija	
Gaminio tipas	SSD korpusas
Produkto spalva	Juoda
Medžiaga	Aliuminis
LED indikatoriai	Taip
Veikimo charakteristikos	
Duomenų perdavimo sparta	10 Gbit/s
UASP palaikymas	Taip
TRIM palaikymas	Taip
Pakuotės turinys	

Pridėti kabeliai

USB A tipo jungties adapteris į USB C tipo jungtį

Matmenys ir svoris

Svoris

1,00kg

Dokumentai ir vaizdo įrašai[› Naudojimo instrukcija](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

Intronics BV

Koolhovenstraat 1E, 3772 MT Barneveld, NL

intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt