

ACT PD3155 power extension 3 m 9 AC outlet(s) Indoor Black, Red

Gamintojas: **ACT** · Modelis: **PD3155** · EAN: **8716065572810** · Prekės kodas: **965345**



46,90 €

Kaina su PVM

Be PVM: **38,76 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extension lead PDU 19" C14 IEC60320 8x grounded type E sockets, max. 2500W / 10A Thermal overload protection with reset button
- ✓ Cable length: 3 meters H05VV-F 3G1.0
- ✓ Ideal for installation in 19 inch network cabinets or server racks (19 inch 1U)
- ✓ Aluminium housing and 45° angled red sockets with child protection
- ✓ Red sockets for better identification and safety when used with a UPS
- ✓ Multi-angled mounting brackets: multiple mounting positions
- ✓ Mounting material included: cage nuts, bolts and plastic washers



Aprašymas

The PD3155 19" power extension lead PDU adds eight grounded type E sockets to your power management system. The power extension lead is designed to fit into a 1U 19" rack and includes a 3m H05VV-F 3G1.0 cable with C14 connector. The PD3155 is equipped with overload protection and a reset button. The red sockets provide better identification when used with a UPS. The mounting brackets can be placed in various positions. All mounting material is included: cage nuts, screws and plastic washers.

8x 45° angled red sockets

The PD3155 has 8 grounded type E sockets. Each socket is angled 45° and has child protection. The red color of the outlets provides better identification for critical equipment used with a UPS.

Fits 1U 19 inch server racks

Use the extension lead PDU in network cabinets or server racks. The PD3155 fits in a 1U 19 inch server rack.

Thermal overload protection

The PD3155 is equipped with a 2500W / 10A thermal overload protection and a reset button.

Multi-angled mounting brackets

The mounting brackets can be placed at various angles for optimal installation of the extension lead power strip. All mounting material is included: cage nuts, bolts and plastic washers.

Techninė specifikacija

Features	
Cable length	3 m
Placement supported	Indoor
On/off switch	No
AC outlet types	Type E
Power plug type	C14 coupler
Power plug form factor	Angled
Indication light	Yes
Product colour	Black, Red
Child protection	Yes
Ports & interfaces	
AC outlets quantity	9 AC outlet(s)
Power	
AC input voltage	250 V
Maximum input power	4000 W
Maximum current	16 A

Technical details

Warranty period	5 year(s)
-----------------	-----------

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV

Koolhovenstraat 1E, 3772 MT Barneveld, NL

intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt