

ACT 10G Ethernet Media Converter

Gamintojas: ACT · Modelis: AC4455 · EAN: 8716065517903 · Prekės kodas: 965396



145,90 €

Kaina su PVM

Be PVM: 120,58 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 10G Media Converter for converting Gigabit Ethernet over fiber to Gigabit Ethernet over copper (RJ45)
- ✓ Converts Gigabit Ethernet over copper (RJ45) to Gigabit Ethernet over fiber
- ✓ Suited for one singlemode or multimode Uncoded SFP+ transceiver
- ✓ Link Fault Passthrough (LFP) support
- ✓ Auto-negotiation support
- ✓ Compact metal housing



Aprašymas

The AC4455 10G Ethernet Media Converter provides a flexible high-performance solution for a fast and easy transition from Gigabit Ethernet over fiber to Gigabit Ethernet over copper (RJ45) and vice versa. The unmanaged media converter has an open SFP+ slot for accommodating one singlemode or multimode uncoded SFP+ transceiver. Additionally, the Ethernet media converter features Link Fault Passthrough (LFP) for detecting link failures. Different work modes can be set by the on-board dip switches.

Techninė specifikacija

Network	
Maximum data transfer rate	10000 Mbit/s
Converter output interface	10GBASE-R
Networking standards	IEEE 802.3ab
Ethernet interface type	2.5 Gigabit Ethernet, 5 Gigabit Ethernet, 10 Gigabit Ethernet, Gigabit Ethernet
Ethernet LAN data rates	1000,2500,5000,10000 Mbit/s
Fiber ethernet cabling technology	10GBASE-R
Auto-negotiation	Yes
Link Fault Pass-through (LFP)	Yes
Performance	
Fiber mode structure	Multi-mode, Single-mode
Features	
Internal	No
LED indicators	Activity, Link, Power, Speed
Product colour	Black
Housing material	Metal
Ports & interfaces	
Fiber optic connector	SFP+
Connectivity technology	Wired
Ethernet LAN (RJ-45) ports	1
Fiber ports quantity	1
DC-in jack	Yes
Power	
Input voltage	12 V
Input current	1 A
External power adapter	Yes
Weight & dimensions	
Width	70 mm
Depth	98 mm
Height	26 mm
Weight	205 g
Operational conditions	
Operating temperature (T-T)	0 - 60 °C

Storage temperature (T-T)	-20 - 70 °C
---------------------------	-------------

Packaging content

AC adapter included	Yes
---------------------	-----

Packaging data

Package type	Box
--------------	-----

Dokumentai ir vaizdo įrašai

> [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV

Koolhovenstraat 1E, 3772 MT Barneveld, NL

intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt