

ACT AC7914 KVM jungiklis Juoda

Gamintojas: **ACT** · Modelis: **AC7914** · EAN: **8716065554090** · Prekės kodas: **965410**



165,90 €

Kaina su PVM

Be PVM: **137,11 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Juoda
- ✓ Kompiuterių skaičius: 2
- ✓ Klaviatūros porto tipas: USB Pelės porto tipas: USB Vaizdo prievado tipas: HDMI
- ✓ 4K Ultra HD 3840 x 2160 pikseliai
- ✓ Funkciniai klavišai
- ✓ DC



Aprašymas

The AC7914 2-port 4K Dual HDMI KVM Switch lets you simplify your workspace by controlling two computers while using a dual monitor setup and a single USB keyboard and mouse. The HDMI outputs support monitors with a resolution up to 4K@60Hz. The AC7914 lets you switch between computers using the buttons on the switch itself, the IR remote control, keyboard hotkeys, a mouse, or RS-232 commands.

Control two devices with a dual monitor setup, mouse and keyboard

Simplify your workspace by connecting two computers to the AC7914 via HDMI. Connect two HDMI monitors and a single keyboard and mouse set to the switch and control both computers with minimal setup.

Supports up to 4K@60Hz

The AC7914 HDMI KVM switch supports 4K@60Hz, 4:4:4 12-bit, HDMI 2.0 and is HDCP 2.3 compliant. The EDID emulator in the KVM switch provides the correct display information from the monitors to the connected computers.

Easy switch between computers

Switching between two connected computers is easy with the dedicated button on the AC7914 KVM switch. Prefer to use IR control, a mouse, keyboard shortcuts, or RS-232 commands? All are supported.

Auto input switching

Have two computers connected to the KVM switch and only one is active? The AC7914 will automatically detect the active device.

Mode functions

The AC7914 has two modes: Single PC mode and Dual PC mode. In the Single PC Mode, both monitors display the output from either PC 1 or PC 2, with seamless USB device control following the active PC. In Dual PC Mode, each monitor is dedicated to a different PC, allowing you to simultaneously view and manage two computers with ease. Switch effortlessly between modes using the front panel, IR remote, or hotkeys.

Additional features

The AC7914 has four USB 3.2 Gen1 (USB 3.0) 5Gbps ports for sharing peripherals such as a keyboard, mouse, printer and more. The switch also has a 3.5mm audio jack for connecting headphones or speakers. HDMI cables, USB cables, remote control, RS-232 connector and mounting brackets are included.

Preventing accidental power cord disconnection

The power connection on the KVM switch is secured with a screw lock to prevent accidental disconnection.

User scenarios

Business use:

Government agencies: Control sensitive systems isolated from the network.

Datacenters and server rooms: Troubleshoot, upgrade and maintain servers.

Home use:

- Home office: easily switch between your personal computer and work laptop using a dual monitor setup and a single mouse and keyboard.

- Gaming: switch between a gaming console/desktop and a personal laptop.

Whether you're a professional, home user or gamer, this 2-port HDMI KVM switch streamlines your setup while maintaining performance and security.

Techninė specifikacija

Ryšys	
Kompiuterių skaičius	2
Klaviatūros porto tipas	USB
Pelės porto tipas	USB
Vaizdo prievado tipas	HDMI
Konsolės prievadai	3,5 mm ausinė, HDMI, USB A
HDMI portų kiekis	6
HDMI versija	2.0
USB 3.2 (3.1 1 kart.) B tipo prievadų skaičius	2
Konsolės USB prievadų skaičius	4
Pulto HDMI prievadų skaičius	2
USB koncentratorius	Taip
USB 3.2 (3.1 1 kart.) A tipo koncentratoriaus prievadų skaičius	4
USB jungtis	USB A tipo
Nuosekliojo prievado tipas	RS-232
Serijinių portų kiekis	1
Audio jungtys	Taip
Ausinių išvestys	1
DC įėjimo lizdas	Taip
Veikimo charakteristikos	
HD tipas	4K Ultra HD
Maksimali rezoliucija	3840 x 2160 pikseliai
Duomenų perdavimo sparta (maks.)	5 Gbit/s
HDCP	Taip
Palaikomų ekranų skaičius	2
HDCP versija	2.3
Palaikomas buitinės elektronikos valdymas (CEC)	Taip
Konstrukcija	
Stovo montavimas	Ne
Produkto spalva	Juoda
LED indikatoriai	Taip

Funkciniai klavišai	Taip
Ekranas	
Įmontuotas ekranas	Ne
Energijos valdymas	
Maitinimo šaltinis	DC
Įėjimo įtampa	12 V
Įvesties srovė	1 A
Pakuotės duomenys	
Pakuotės plotis	265 mm
Pakuotės gylis	91 mm
Pakuotės aukštis	170 mm
Paketo svoris	1,36 kg
Pakuotės tipas	„Box“
Pakuotės turinys	
Pridėti kabeliai	HDMI, IR, Iš A tipo USB į B tipo USB
Greito diegimo vadovas	Taip
Kintamosios srovės adapteris	Taip
Pridedamas nuotolinio valdymo pultelis	Taip

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV

Koolhovenstraat 1E, 3772 MT Barneveld, NL

intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)