# ACT 2-Port USB-C/HDMI 4K@60Hz KVM switch

Gamintojas: **ACT** · Modelis: **AC7922** · EAN: **8716065589818** · Prekės kodas: **965414**



**118,89 €**

Kaina su PVM

Be PVM: **98,26 €**

**Sandėlyje**

**Prekė internetu**

Nuskenuokite kodą arba apsilankykite www.shopro.lt


## Pagrindinės savybės

- ✓ 2-Port 4K@60Hz USB Type-C® and HDMI KVM Switch: control two computers with a single monitor, USB keyboard and mouse
- ✓ Supports a resolution up to 3840x2160 (4K) @60Hz, 2K@144Hz, USB Type-C® DisplayPort Alternate Mode 1.4, HDMI 2.0 and HDCP 2.3 compliant
- ✓ 4 USB-A ports 5Gbps for peripheral sharing; 3.5mm audio out port
- ✓ 100W Power Delivery pass-through port for connecting the laptop’s USB-C charger and powering the connected USB-C laptop
- ✓ Control the KVM switch with the front panel select button, IR remote control, keyboard hotkeys, mouse or RS-232 commands
- ✓ Supplied with an HDMI cable, USB cables, remote control, RS-232 connector and mounting brackets
- ✓ EDID emulator per input port provides correct information to the connected PCs
- ✓ Power supply included (12V / 1A / 12W); secure locked power connection
- ✓ Automatic input switching














Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.






## Aprašymas

**The AC7922 2-port USB-C/HDMI KVM switch controls two computers while using a single monitor, single USB keyboard and mouse. The HDMI output supports a monitor with a resolution up to 4K@60Hz. The AC7922 lets you switch between computers using the buttons on the switch itself, the IR remote control, keyboard hotkeys, a mouse, or RS-232 commands. The AC7922 has a solid metal housing and comes with all needed cabling.**

### Control two devices with a single HDMI monitor, keyboard and mouse

Simplify your workspace by connecting one computer to the AC7922 via HDMI and the other computer/laptop via USB-C. Connect a single HDMI monitor and a keyboard and mouse set to the switch and control both host devices with minimal setup.

### Supports up to 4K@60Hz

The AC7922 USB-C/HDMI KVM switch supports 4K@60Hz, 4:4:4 12-bit, HDMI 2.0 and is HDCP 2.3 compliant. The EDID emulator in the KVM switch provides the correct display information from the monitor to the connected device.

### Easy switching between computers

Switching between two connected computers is easy with the dedicated button on the AC7922 KVM switch. Prefer to use IR control, a mouse, keyboard shortcuts or RS-232 commands? This is also supported.

### 100W Power Delivery pass-through

Connect a separate USB-C charger to the charging port of the KVM switch. The connected device receives power via the connected USB-C connection cable.

### Automatic input switching

Have two computers connected to the KVM and only one is active? The AC7922 will automatically detect the active device.

### EDID copy function

The AC7922 supports EDID (Extended Display Identification) copy function on both input ports to ensure that the resolution is communicated correctly between the source devices and the output monitor.

### Additional features

The AC7922 includes four USB 3.2 Gen1 (USB 3.0) 5Gbps ports for sharing peripherals, such as a keyboard, mouse, printer and more. The switch also has a 3.5mm audio jack for connecting headphones or speakers. An HDMI cable, two USB cables, remote control, RS-232 connector and mounting brackets with screws are included.

### Prevent accidental power cord disconnection

The power connection on the AC7922 USB-C KVM switch is secured with a screw lock to prevent accidental disconnection.

## User scenarios

Business use:
Government offices: Control sensitive systems that are isolated from the network.
Datacenters and server rooms: Troubleshoot, update and maintain servers.

Home use:
Home office: switch easily between your personal computer and work laptop and use only one monitor, mouse, keyboard setup. The switch has a USB-C Power Delivery port for connecting the laptop’s USB-C charger and powering the connected USB-C laptop.
Gaming: switch between a gaming console/desktop and a personal laptop.

### Techninė specifikacija

| | |
|---|---|
| **Ports & interfaces** | |
| Number of computers controlled | 2 |
| Keyboard port type | USB |
| Mouse port type | USB |
| Video port type | HDMI/USB |
| Console ports | 3.5mm headphone, HDMI, USB A |
| HDMI ports quantity | 2 |
| HDMI version | 2 |
| DisplayPort version | 1.4 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity | 1 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity | 2 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity | 4 |
| Console USB ports quantity | 4 |
| Console HDMI ports quantity | 1 |
| DC-in jack | Yes |
| **Performance** | |
| HD type | 3K |
| Maximum resolution | 3840 x 2160 pixels |
| HDCP | Yes |
| Maximum refresh rate | 144 Hz |
| HDCP version | 2.3 |
| **Design** | |
| Product colour | Black |
| Hot keys | Yes |
| **Display** | |
| Built-in display | No |

| | |
|---|---|
| **Power** | |
| Power source | DC |
| USB Power Delivery (USB PD) | Yes |
| USB Power Delivery revision | 3 |
| USB Power Delivery up to | 100 W |
| **Packaging data** | |
| Package type | Box |
| **Packaging content** | |
| Cables included | HDMI, IR, USB Type-A to USB Type-B, USB Type-C to USB Type-C |
| Quick installation guide | Yes |
| AC adapter included | Yes |
| Remote control included | Yes |

## Dokumentai ir vaizdo įrašai

› Atitikties deklaracija

## Gamintojo ir saugos informacija

GAMINTOJAS

**Intronics BV**
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

### Saugos dokumentai

› Atitikties deklaracija