

ACT Industrial 1.00 meter Profinet cable RJ45 male to RJ45 male, Superflex CAT6A SF/UTP TPE cable, shielded

Gamintojas: **ACT** · Modelis: **SC4804** · EAN: **8716065541090** · Prekės kodas: **965538**



29,90 €

Kaina su PVM

Be PVM: **24,71 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Flexible TPE sheath
- ✓ Full copper Superflex AWG26 shielded cable
- ✓ UL



Aprašymas

DESCRIPTION

The ACT Industrial sensor cables (actor cables) are provided with a TPE (Thermo Plastic Elastomer) sheath and are therefore highly resistant to mechanical loads such as movements in a chain. The connectors are overmoulded TPE and degree of protection is IP67. Superflex SF/UTP cable, each individual core consists of 28 strands of copper that together form a diameter of AWG26. This makes the cable more flexible than, for example, a standard AWG24/7 patch cable. Stranded conductors are build up of uninsulated thin strands of wire twisted together. How greater the number of strands in a stranded conductor, the greater the flexibility of the wire.

Techninė specifikacija

Features	
Cable length	1 m
Cable standard	Cat6a
Cable shielding	SF/UTP (S-FTP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Blue
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Jacket material	Thermoplastic elastomer (TPE)
Cable shape	Round
Conductor type	Flexible
Conductor material	Copper
AWG wire size	26
Operational conditions	
Operating temperature (T-T)	-5 - 40 °C
Storage temperature (T-T)	-5 - 80 °C
Certificates	
Certification	IP67, UL, UL94-V0
Weight & dimensions	
Outer diameter	7 mm
Packaging content	
Quantity per pack	1 pc(s)

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV

Koolhovenstraat 1E, 3772 MT Barneveld, NL

intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt