ACT Industrial 0.30 meters Profinet cable RJ45 male to RJ45 male, Superflex CAT6A SF/UTP TPE cable, shielded

Gamintojas: **ACT** · Modelis: **SC4801** · EAN: **8716065541076** · Prekės kodas: **965550**



22,91 €

Kaina su PVM

Be PVM: **18,93 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Flexible TPE sheath
- ✓ Full copper Superflex AWG26 shielded cable
- ✓ UL



Aprašymas

DESCRIPTION

The ACT Industrial sensor cables (actor cables) are provided with a TPE (Thermo Plastic Elastomer) sheath and are therefore highly resistant to mechanical loads such as movements in a chain. The connectors are overmoulded TPE and degree of protection is IP67. Superflex SF/UTP cable, each individual core consists of 28 strands of copper that together form a diameter of AWG26. This makes the cable more flexible than, for example, a standard AWG24/7 patch cable. Stranded conductors are build up of uninsulated thin strands of wire twisted together. How greater the number of strands in a stranded conductor, the greater the flexibility of the wire.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Features	
Cable length	0.3 m
Cable standard	Cat6a
Cable shielding	SF/UTP (S-FTP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Blue
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Jacket material	Thermoplastic elastomer (TPE)
Cable shape	Round
Conductor type	Flexible
Conductor material	Copper
AWG wire size	26
Operational conditions	
Operating temperature (T-T)	-5 - 40 °C
Storage temperature (T-T)	-5 - 80 °C
Certificates	
Certification	IP67, UL, UL94-V0
Weight & dimensions	
Outer diameter	7 mm
Packaging content	
Quantity per pack	1 pc(s)

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt