HP OfficeJet Pro 8134e Wireless All-in-One Color Printer, Instant Ink; Two-sided printing

Gamintojas: **HP INC** · Modelis: **40Q46B** · EAN: **197029945792** · Prekės kodas: **965748**



158,90 €

Kaina su PVM

Be PVM: **131,32 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HP Instant Ink eligible; Automatic document feeder; Touchscreen; Quiet mode; Print over VPN with HP+
- ✓ Print, copy, scan, fax
- ✓ Print speed up to 20 ppm (black) and 10 ppm (color)
- ✓ 1200 x 1200 rendered dpi









Aprašymas

Print at home like a Pro. Fax included. Say hello to the professional colour inkjet printer for your home office from the World’s #1 Printer Company, paired with the easiest-to-use print app. Enjoy easy printing designed to make you succeed at work. Fax included.[1,2]. HP Instant Ink eligible

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

This is an HP+ enabled printer. Choose HP+ at product setup to activate benefits. HP+ requires an HP account, ongoing connection to the internet, and exclusive use of Original HP Ink cartridges for the life of the printer. More at: http://www.hp.com/plus

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Techninė specifikacija

Printing	
Print technology	Thermal inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	20 ppm
Duplex printing mode	Auto
Print resolution colour	4800 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	10 ppm
Print speed (black, draft quality, A4/US Letter)	29 ppm
Print speed (colour, draft quality, A4/US Letter)	25 ppm
Print speed (ISO/IEC 24734) black	20 ppm
Print speed (ISO/IEC 24734) colour	10 ppm
Time to first page (black, normal)	15 s
Time to first page (colour, normal)	18 s
N-in-1 print function	Yes
Secure printing	Yes
Booklet printing function	Yes
Borderless printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	25 cpm
Copy speed (colour, normal quality, A4)	17 cpm
Copy speed (black, draft, A4)	25 cpm
Copy speed (colour, draft, A4)	17 cpm
Maximum number of copies	99 copies
Copier resize	25 - 400%
Auto fit function	Yes
Scanning	
Scanning	Colour scanning

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Optical scanning resolution	1200 x 1200 DPI
Scanner type	Flatbed scanner
Maximum scan resolution	1200 x 1200 DPI
Maximum scan area	215.9 x 297 mm
Scan technology	CIS
Scan to	Software
Scan speed (colour)	3.5 ppm
Scan speed (black)	8 ppm
Image formats supported	BMP, JPG, PNG, TIFF
Document formats supported	PDF, RTF, TXT
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Fax

Faxing	Colour faxing
Duplex faxing	Yes
Fax resolution (black)	300 x 300 DPI
Fax resolution (colour)	200 x 200 DPI
Fax transmission speed	4 sec/page
Modem speed	33.6 Kbit/s
Fax memory	100 pages
Auto-redialing	Yes
Speed dialling	No
Fax forwarding	Yes
Fax delayed sending	Yes
Auto reduction	Yes

Features

Maximum duty cycle	20000 pages per month
Duplex functions	Print, Fax
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	0 - 800 pages per month
Digital sender	Yes
Page description languages	PCL 3 GUI
All-In-One-multitasking	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Country of origin	Thailand
Replacement cartridges	HP 924 Black Original Ink Cartridge (~500 pages) 4K0U6NE; HP 924 Cyan Original Ink Cartridge (~400 pages) 4K0U3NE; HP 924 Magenta Original Ink Cartridge (~400 pages) 4K0U4NE; HP 924 Yellow Original Ink Cartridge (~400 pages) 4K0U5NE HP EvoMore planned to be available April 2024: HP 924e EvoMore Black Original Ink Cartridge (~1,000 pages) 4K0V0NE; HP 924e EvoMore Cyan Original Ink Cartridge (~800 pages) 4K0U7NE; HP 924e EvoMore Magenta Original Ink Cartridge (~800 pages) 4K0U8NE; HP 924e EvoMore Yellow Original Ink Cartridge (~800 pages) 4K0U9NE Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutsupplies
HP segment	Home, Home office

Input & output capacity

Total number of input trays	1
Total input capacity	225 sheets
Total output capacity	60 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	35 sheets
Maximum number of input trays	1
Maximum input capacity	225 sheets
Maximum output capacity	60 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Photo paper, Recycled paper, Matte paper, Lightweight paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	210 x 297 mm
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Hagaki card
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	C5, C6
Photo paper sizes	10x15,13x18 cm
Photo paper sizes (imperial)	8.5x13"
Borderless printing media sizes	A4, Letter
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 280 g/m²
Multi-Purpose Tray media weight	60 - 280 g/m²
Envelope feeder	No

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	2
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Wi-Fi standards	Wi-Fi 5 (802.11ac), Wi-Fi 4 (802.11n), 802.11g, 802.11b, 802.11a
Wi-Fi Direct	Yes
Bluetooth	Yes
Security algorithms	SSL/TLS, WPA2-Enterprise, EAP-TLS, WPA3-Enterprise, WPA3-Personal, PEAP, HTTPS
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	512 MB
Maximum internal memory	512 MB
Built-in processor	Yes
Processor frequency	1200 MHz
Sound power level (printing)	6.6 dB
Design	
Product colour	Grey
Market positioning	Home & office
Built-in display	Yes
Colour name	Light Cement
Display	CGD
Display diagonal	6.86 cm (2.7")
Control type	Buttons, Touch
Colour display	Yes
Power	
Power consumption (ready)	4.45 W
Power consumption (sleep)	1.15 W
Power consumption (off)	0.12 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Brand-specific features	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

HP Instant Ink	Yes
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	SSL/TLS (HTTPS); IPP over TLS; 802.1x Authentication for Ethernet (PEAP and EAP-TLS); WPA2-Enterprise; WPA3-Enterprise; WPA2-Personal; WPA3-Personal; Certificates configuration; Control panel lock; Password protect EWS; Unused protocol and service disablement; Signed firmware; Administrator settings
HP GTIN (EAN/UPC) with options	(623) 198828195784; (687) 197029945815
HP GTIN (EAN/UPC)	198828195784, 197029945815

System requirements

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Other operating systems supported	ChromeOS

Operational conditions

Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-40 - 60 °C
Operating temperature (T-T)	5 - 40 °C
Operating altitude	0 - 3000 m
Non-operating altitude	0 - 4500 m
Recommended humidity operating range	25 - 75%
Recommended operating temperature range (T-T)	15 - 32 °C

Certificates

Certification	CISPR 32:2015 / EN 55032:2015 Class B; CISPR 24:2010 / EN 55024:2010 CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B VCCI V-3:2015

Sustainability

Sustainability certificates	Forest Stewardship Council (FSC)
Sustainable technologies and materials	Contains ocean-bound recycled plastic; Recyclable through HP Planet Partners; FSC Certified Packaging
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	56
Carbon emissions, manufacturing (kg of CO2e)	45
Carbon emissions, logistics (kg of CO2e)	2
Carbon emissions, end-of-life (kg of CO2e)	3

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Total carbon emissions, w/o use phase (kg of CO2e)	6

Weight & dimensions

Width	460.3 mm
Depth	337.5 mm
Height	233 mm
Weight	8 kg

Packaging data

Package width	506 mm
Package depth	298 mm
Package height	408 mm
Package weight	10.2 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	255 pages
Included cartridge capacity (CMY)	270 pages
Cables included	AC
Bundled software	HP Printer Software

Logistics data

Harmonized System (HS) code	8443310000
Pallet gross weight	334 kg

Technical details

General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-officejet-pro-8130e-all-in-one-series/model/2101446616?sku=40Q46B
Hazard pictogram(s)	GHS07: Harmful
Other EU Hazard statement(s)	EUH208: Contains sensitizing substance. May produce an allergic reaction
Box contents	HP OfficeJet Pro 8134e All-in-One Printer; HP 924 Setup Black Ink Cartridge; HP 924 Setup Cyan Ink Cartridge; HP 924 Setup Magenta Ink Cartridge; HP 924 Setup Yellow Ink Cartridge; Power Cord; Regulatory Flyer; Ink Caution Flyer; Setup Poster; Reference Guide

Other features

Number of users	5 user(s)
Power supply type	Internal (Built-in) Universal Power Supply
Recommended system requirements	Microsoft Windows 11; 10; 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer or Edge. macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Internet required.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Compatible operating systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux; Chrome OS
Processor frequency	1.2 GHz
Number of print heads	4
Manufacturer warranty	Standard one-year HP commercial hardware warranty. One-year extra HP warranty through HP+ activation at setup; and (3) One year bonus HP warranty through separate online registration, which must be completed at www.hp.com/eu/bonuswarranty/ within 60 days of printer purchase. For up to 3 years of warranty. Warranty and support options vary by product, country, and local legal requirements. See: http://www.hp.com/limitedwarranty.
Electromagnetic compatibility	CISPR 32:2015 / EN 55032:2015 Class B; CISPR 24:2010 / EN 55024:2010 CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B VCCI V-3:2015
Custom media sizes	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2196 mm
UNSPSC-code	43212104
Matmenys ir svoris	
Svoris	5,08kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

› Vaizdo įrašas objects.icecat.biz/objects/113191532_64401259.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Įspėjimai

- Hazard pictogram(s): GHS07: Harmful
- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

Saugos dokumentai

› Gamintojo saugos informacija