Bosch GPL 5 G Point level 30 m 500-540 nm (< 10mW)

Gamintojas: **BOSCH** · Modelis: **0601066P00** · EAN: **4059952524863** · Prekės kodas: **966242**



281,91 €

Kaina su PVM

Be PVM: **232,98 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Green laser points provide up to four times better visibility than red points
- ✓ Durable design resists tough conditions: rubberised housing with recessed glasses, IP65 dust and water jets protection
- ✓ Fast and secure mounting thanks to integrated rotation mount with strong magnets

Aprašymas

The 5-point laser GPL 5 G Professional stands out with its durable and compact design, making it the ideal choice for laying out 90-degree walls. Its green laser points provide up to four times better visibility than red points. With its rubberised housing and recessed glass, as well as IP65 dust and water jets protection, the GPL 5 G Professional resists tough jobsite conditions. This 5-point laser is transport-ready in no time, thanks to an integrated rotation mount that features strong magnets for fast and secure tool mounting.

Equipment & Application

The GPL 5 G Professional is ideal for room partitioning with 90-degree angles and for transferring points from floor to ceiling. It is very suitable for jobs like plumbing and building frames for drywalls.

Additional Information

This 5-point laser also features an easy-to-use interface with a two-position switch: when turned on, it automatically self-levels, when turned off, the pendulum is locked.

Techninė specifikacija

Features

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Maximum range	30 m
Levelling accuracy (±)	0.35 mm/m
Self-levelling range (±)	4°
Self-levelling	Yes
Number of laser points	5
Leveling time	4 s
Laser class	2
Laser diode	500-540 nm (< 10mW)
Design	
Type	Point level
Product colour	Black, Blue, Orange
Tripod mounting supported	Yes
Tripod thread	1/4"
International Protection (IP) code	IP65
Battery	
Power source	Battery
Operating time	8 h
Battery type	AA
Battery voltage	1.5 V
Number of batteries supported	2
Operational conditions	
Operating temperature (T-T)	-10 - 45 °C
Storage temperature (T-T)	-20 - 70 °C
Weight & dimensions	
Width	115 mm
Depth	50 mm
Height	113 mm
Weight	350 g
Matmenys ir svoris	
Svoris	0,82kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

Bosch

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt