ATEN 2-Port USB 3.0 8K DisplayPort Dual-Display KVMP™ Switch (Cables included)

Gamintojas: **ATEN** · Modelis: **CS1942DPA** · EAN: **4711581520547** · Prekės kodas: **966809**



354,91 €

Kaina su PVM

Be PVM: **293,31 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Up to 7680 × 4320 @ 60 Hz, 5120 × 2880 @ 60 Hz and 4096 × 2160 @ 120 Hz
- ✓ Daisy-chainable quad-display control connecting two CS1942DPAs to manage up to two PCs and four displays with one keyboard and mouse
- ✓ All DisplayPort/USB cables and power adapter included for hassle-free installation
- ✓ Computer selection via pushbuttons, remote port selector, hotkeys, mouse, and RS-232 commands











Aprašymas

Power advanced multi-screen workflows with an 8K dual-display KVM switch for creative, financial, and professional applications.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

2 DisplayPort PCs, 2 DisplayPort Displays, One KVM Console

The CS1942DPA is a 2-port KVM switch that empowers you to switch between projects with ease on a 2-PC, dual-display desktop. With a single keyboard and mouse, you can maintain a tidy workspace while simplifying control of two DisplayPort computers across two DisplayPort displays. Whether you're a professional seeking a productivity booster for your daily office routines, a content creator, a hybrid worker, or someone looking for an immersive entertainment setup, the CS1942DPA is definitely your key to a workspace transformation.

Unlock your creativity at this multitasking KVM workstation with:

- A pristine visual experience up to 4K@240 and 8K@60
- Ultra-wide 21:9 and 32:9 aspect ratios for an expansive viewing experience
- A 2-port USB 3.0 hub for peripheral sharing, supporting up to 5 Gbps data transfer
- Multi-system compatibility with Windows, macOS, and Linux

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	DisplayPort
Console ports	3.5mm headphone, DisplayPort, USB A
DisplayPorts quantity	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	2
Console USB ports quantity	2
Console DisplayPorts ports quantity	4
Console RJ-45 ports quantity	1
USB hub	Yes
USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity	2
USB connector type	USB Type-A, USB Type-B
Headphone outputs	4
Number of microphone inputs	4
DC-in jack	Yes
Performance	
HD type	8K Ultra HD
Maximum resolution	7680 x 4320 pixels
Video bandwidth	60 Hz
Scan interval	1,99 s
Maximum refresh rate	240 Hz
Design	

Rack mounting	No
Product colour	Black
LED indicators	Yes
Push button	Yes
Display	
Built-in display	No
Power	
Power source	DC
Input voltage	12 V
Power consumption (typical)	3.18 W
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 80%
Weight & dimensions	
Width	71.8 mm
Depth	200 mm
Height	43 mm
Weight	470 g
Packaging content	
Quick installation guide	Yes
Logistics data	
Harmonized System (HS) code	84718000
Country of origin	Thailand

Dokumentai ir vaizdo įrašai

- Greitos pradžios vadovas
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

ATEN INTERNATIONAL CO., LTD.
Datung Road No.125, Sec. 2, 221 New Taipei City, TW
aten.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.