LogiLink WL0086B network card WLAN 300 Mbit/s

Gamintojas: **LOGILINK** · Modelis: **WL0086B** · EAN: **4052792005202** · Prekės kodas: **967726**



21.90€

Kaina su PVM

Be PVM: **18.10€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Able to charge 2 devices with USB-port at the same time
- ✓ Overcurrent, overvoltage, overheating and short-circuit protection
- ✓ With integrated emergency hammer
- ✓ Compatible with most smartphones and tablets



Aprašymas

WLAN USB Adapter from LogiLink with internal antenna. With WEP, WPA and WPA2 encryptionit offers all the options for a secure connection and can be easily configured using WPS and also integrated into the wireless network.

Techninė specifikacija

Ports & interfaces	
Connectivity technology	Wireless
Host interface	USB
Interface	WLAN
USB version	2

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Network	
Maximum data transfer rate	300 Mbit/s
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	Yes
Wi-Fi band	Single-band (2.4 GHz)
Frequency range	2.4 - 2.4835 GHz
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
WLAN data transfer rates supported	11,54,300 Mbit/s
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, WPA, WPA-PSK, WPA2, WPA2-PSK, WPS
Design	
Internal	No
Chipset	Realtek RTL8192EU
WPS push button	Yes
LED indicators	Activity, Link
Power	
Input current	0.16 A
Output voltage	5 V
System requirements	
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Linux operating systems supported	Yes
Operational conditions	
Operating temperature (T-T)	10 - 60 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Packaging data	
Drivers included	Yes
Quantity per pack	1 pc(s)
Package width	173 mm
Package depth	138 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Package height	25 mm
Packaging content	
Quick installation guide	Yes
Manual	Yes
Logistics data	
Harmonized System (HS) code	85176990
Master (outer) case width	520 mm
Master (outer) case length	366 mm
Master (outer) case height	185 mm
Products per master (outer) case	40 pc(s)

Dokumentai ir vaizdo įrašai

- Product leaflet
- Declaration of conformity

Gamintojo ir saugos informacija

MANUFACTURER

2direct GmbH
Langenstück 5, 58579 Schalksmühle, DE
info@2direct.de
2direct.de

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Declaration of conformity