Brother MFC-L2802DN multifunction printer Laser A4 1200 x 1200 DPI 32 ppm

Gamintojas: **BROTHER** · Modelis: **MFC-L2802DN** · EAN: **4977766831833** · Prekės kodas: **969954**



226,90 €

Kaina su PVM

Be PVM: **187,52 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Home & office Laser Mono printing
- ✓ 1200 x 1200 DPI
- ✓ Printing colours: Black
- ✓ A4 32 ppm
- ✓ Mono copying Colour scanning Mono faxing
- ✓ Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service
- ✓ Direct printing
- ✓ USB port Ethernet LAN
- ✓ Internal memory: 128 MB
- ✓ 10.5 kg






Aprašymas

AC input frequency: 50/60 Hz | Windows operating systems supported: Windows 11 | Windows operating systems supported: Windows 7 | Operating relative humidity (H-H): 20 - 80% | Package weight: 14.1 kg | Windows operating systems supported: Windows 8 | Scan to: E-mail Server | Input colour depth: 30 bit | Windows operating systems supported: Windows 8.1 | Ethernet LAN data rates: 10,100 Mbit/s | Mac operating systems supported: Yes | AC input voltage: 220 - 240 V | Image formats supported: JPEG | Duplex functions: Print | Optical scanning resolution: 1200 x 1200 DPI | Power consumption (off): 0.08 W | Linux operating systems supported: Yes | Copy speed (black, normal quality, A4): 32 cpm | Custom media length: 127 - 355.6 mm | Security algorithms: SSL/TLS | Image formats supported: TIFF | Height: 319 mm | Security algorithms: APOP | Product colour: Black | Output greyscale depth: 8 bit | Fax memory: 400 pages | Output colour depth: 24 bit | Number of print cartridges: 1 | Custom media

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

width: 76.2 - 215.9 mm | Width: 410 mm | Scan to: E-mail | Modem speed: 33.6 Kbit/s | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Copier resize: 25 - 400% | Depth: 399 mm | Mobile printing technologies: Brother iPrint & Scan | Mobile printing technologies: Google Cloud Print | Storage temperature (T-T): 0 - 40 °C | Scan to: OCR | Scan to: USB | Copying: Mono copying | N-in-1 copy function (N=): 4 | Security algorithms: SMTP-AUTH | Package width: 580 mm | Display: LCD | Package depth: 517 mm | Internal memory: 128 MB | Maximum scan resolution: 19200 x 19200 DPI | Scan to: FTP | Display number of lines: 2 lines | Scanner type: ADF scanner | Scan to: File | Image formats supported: PNG | Scan to: Image | Wi-Fi: No | N-in-1 copy function (N=): 2 | Built-in display: Yes | Security algorithms: SNMPv3 | Printing: Mono printing | Auto Document Feeder (ADF) media weight: 60 - 105 g/m² | Operating temperature (T-T): 10 - 32.5 °C | Auto document feeder (ADF) input capacity: 50 sheets | Print technology: Laser | USB port: Yes | Weight: 10.5 kg | Faxing: Mono faxing | Cabling technology: 10/100Base-T(X) | Mobile printing technologies: Mopria Print Service | Mobile printing technologies: Apple AirPrint | Card reader integrated: No | Package height: 434 mm | Scan drivers: SANE | Maximum ISO A-series paper size: A4 | Supported network protocols (IPv6): NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, klient SMTP, serwer FTP, SNMPv1/v2c/v3, serwer HTTP/HTTPS, klient i serwer TFTP, ICMPv6, Usługi sieci Web (Dr | Greyscale levels: 256 | Maximum copy resolution: 600 x 600 DPI | Input greyscale depth: 10 bit | Power consumption (printing): 470 W | Scan drivers: WIA | Time to first copy (black, normal): 10 s | Paper tray media types: Plain paper | Economical printing: Yes | Sound pressure level (printing): 66.3 dB | Power consumption (sleep): 4.1 W | N-up printing: 16 | Time to first page (black, normal): 8.5 s | ISO A-series sizes (A0...A9): A5 | N-up printing: 9 | Watermark printing: Yes | ID-card copy function: Yes | Power consumption (copying): 480 W | Fax forwarding to: Fax | Scan drivers: TWAIN | ISO B-series sizes (B0...B9): B6 | ISO A-series sizes (A0...A9): A6 | ISO A-series sizes (A0...A9): A4 | Paper tray media types: Letterhead | Paper tray media types: Executive | Document formats supported: PDF | Power consumption (standby): 43 W | Paper input type: Paper tray | Maximum number of copies: 99 copies | Maximum resolution: 1200 x 1200 DPI | Manual feeder: Yes | N-up printing: 4 | Duplex print speed (black, normal quality, A4/US Letter): 16 ppm | Paper tray media weight: 60 - 163 g/m² | ID printing function: Yes | Fax forwarding: Yes | Fax forwarding to: E-mail | Auto document feeder (ADF): Yes | Paper tray 1 input capacity: 250 sheets | Duplex printing mode: Auto/Manual | Multi-Purpose tray input capacity: 1 sheets | Booklet printing function: Yes | Total input capacity: 301 sheets | Page description languages: GDI | Fax forwarding to: PC | N-in-1 print function: Yes | Scan technology: CIS | Sound pressure level (standby): 30 dB | N-up printing: 2 | Other operating systems supported: ChromeOS | Power cord included: Yes | N-up printing: 25 | Poster printing function: Yes | Paper tray media types: Recycled paper | N-in-1 copy function: Yes | Total output capacity: 120 sheets | Error Correction Mode (ECM): Yes | ISO B-series sizes (B0...B9): B5 | Maximum duty cycle: 15000 pages per month | Printing colours: Black | Control type: Buttons | Included cartridge capacity (black): 700 pages | Multi-Purpose tray: Yes | Sound pressure level (quiet mode): 44 dB | Print speed (black, normal quality, A4/US Letter): 32 ppm | Warnings: Be careful when handling the device, it may contain live parts. | Duplex printing: Yes | Multi-Purpose Tray media weight: 60 - 230 g/m² | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | Total number of input trays: 3 | Cartridge(s) included: Yes | Warnings: The product requires special disposal - do not dispose of in normal waste.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	32 ppm
Duplex printing mode	Auto/Manual
Duplex print speed (black, normal quality, A4/US Letter)	16 ppm
Time to first page (black, normal)	8.5 s
N-in-1 print function	Yes
N-up printing	2, 4, 9, 16, 25
Watermark printing	Yes
Economical printing	Yes
Booklet printing function	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Poster printing function	Yes
ID printing function	Yes
Copying	
Copying	Mono copying
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	32 cpm
Time to first copy (black, normal)	10 s
Maximum number of copies	99 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
N-in-1 copy function (N=)	2, 4
ID-card copy function	Yes
Scanning	
Scanning	Colour scanning
Optical scanning resolution	1200 x 1200 DPI
Scanner type	ADF scanner
Maximum scan resolution	19200 x 19200 DPI
Scan technology	CIS
Scan to	E-mail, E-mail Server, FTP, File, Image, OCR, USB
Image formats supported	JPEG, PNG, TIFF
Document formats supported	PDF
Input colour depth	30 bit
Output colour depth	24 bit
Input greyscale depth	10 bit
Output greyscale depth	8 bit
Greyscale levels	256
Scan drivers	SANE, TWAIN, WIA
Fax	
Faxing	Mono faxing
Modem speed	33.6 Kbit/s
Fax memory	400 pages
Fax forwarding	Yes
Fax forwarding to	E-mail, Fax, PC
Error Correction Mode (ECM)	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Features	
Maximum duty cycle	15000 pages per month
Duplex functions	Print
Number of print cartridges	1
Printing colours	Black
Page description languages	GDI
Input & output capacity	
Total number of input trays	3
Total input capacity	301 sheets
Total output capacity	120 sheets
Paper tray 1 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	1 sheets
Paper input type	Paper tray
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Manual feeder	Yes
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Executive, Letterhead, Plain paper, Recycled paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 163 g/m²
Multi-Purpose Tray media weight	60 - 230 g/m²
Auto Document Feeder (ADF) media weight	60 - 105 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Ethernet LAN data rates	10,100 Mbit/s
Security algorithms	APOP, SMTP-AUTH, SNMPv3, SSL/TLS
Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service

Performance

Internal memory	128 MB
Card reader integrated	No
Sound pressure level (printing)	66.3 dB
Sound pressure level (standby)	30 dB
Sound pressure level (quiet mode)	44 dB

Design

Product colour	Black
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display number of lines	2 lines
Control type	Buttons

Power

Power consumption (printing)	470 W
Power consumption (copying)	480 W
Power consumption (standby)	43 W
Power consumption (sleep)	4.1 W
Power consumption (off)	0.08 W
Energy Star Typical Electricity Consumption (TEC)	0.37 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

System requirements

Windows operating systems supported	Windows 11, Windows 7, Windows 8, Windows 8.1
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS

Operational conditions

Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	0 - 40 °C
Operating temperature (T-T)	10 - 32.5 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Storage relative humidity (H-H)	35 - 85%
Weight & dimensions	
Width	410 mm
Depth	399 mm
Height	319 mm
Weight	10.5 kg
Packaging data	
Package width	580 mm
Package depth	517 mm
Package height	434 mm
Package weight	14.1 kg
Quantity per pack	1 pc(s)
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	700 pages
Power cord included	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	52,00cm × 58,00cm × 43,00cm
Svoris	14,41kg

Gamintojo ir saugos informacija

GAMINTOJAS

Brother Industries
Naeshiro-cho, Mizuho-ku 15-1, 467-8561 Nagoya, JP
global.brother

ATSAKINGAS ASMUO ES

Brother International Limited
avenue du Bois de la Pie 165, 95913 Roissy-en-France, FR
rsgp@brother.fr
brother.fr

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt