

Verbatim USB-C Essentials Multiport Hub 7 ports: HDMI, USB-C, USB-C 3.2 Gen 1, 2 x USB-A 3.2 Gen 1, SD & microSD

Gamintojas: **VERBATIM** · Modelis: **32158** · EAN: **023942321583** · Prekės kodas: **970428**



41,90 €

Kaina su PVM

Be PVM: **34,63 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ports: HDMI, USB-C 3.2 Gen 1, USB-C PD, 2 x USB-A 3.2 Gen 1, SD, and microSD
- ✓ Pass-through PD Charging: Supports up to 100W power delivery to charge your laptop while using the hub
- ✓ SD/microSD Slots: Supports read and write speeds up to 40MB/s and 30MB/s respectively
- ✓ Compact and Portable: Designed for convenience and travel
- ✓ Compatibility: Suitable for various operating systems including Windows, Mac OS, Chrome OS, Linux, and Android
- ✓ Plastic-free packaging



Aprašymas

Maximise your Device Connectivity

Expand your device's capabilities with seven versatile ports, including HDMI, USB-C® PD, USB-C 3.2 Gen 1, dual USB-A 3.2 Gen 1, and SD/microSD card readers. This hub allows simultaneous connection of multiple peripherals, making it ideal for multitasking and increasing productivity.

High-Efficiency Data Transfer

USB 3.2 Gen 1 technology ensures high-speed data transfer up to 5Gb/s, facilitating quick file transfers and seamless syncing of devices. This hub supports efficient workflows, whether you are working with large media files or performing backups.

Elevate Your Visual Experience

The HDMI port supports ultra-high definition 4K resolution at 30Hz, offering stunning visuals for professional use or home entertainment. This feature enhances your viewing experience, making it perfect for dual-monitor setups or large screen displays.

Techninė specifikacija

Ports & interfaces	
Ports quantity	7
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Hub interfaces	HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 Type-C ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
HDMI ports quantity	1
Card reader integrated	Yes
Card reader slot	2
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC
Features	
Data transfer rate	5000 Mbit/s
Supported graphics resolutions	3840 x 2160
Maximum resolution (HDMI)	3840 x 2160 pixels
Product colour	Grey
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HD type	4K Ultra HD

Number of displays supported	1
Cable type	Round cable
Cable length	0.15 m
Plug and Play	Yes
Country of origin	China
Power	
Power supply type	USB
Input voltage	5 - 20 V
Output voltage	5 V
Output current	0.9 A
System requirements	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Linux operating systems supported	Yes
Other operating systems supported	Android
Weight & dimensions	
Width	29.7 mm
Depth	123.2 mm
Height	11 mm
Weight	60 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	85 mm
Package depth	155 mm
Package height	20 mm
Package weight	110 g
Package type	Box
Packaging content	
Quick start guide	Yes
Operational conditions	
Minimum operating temperature	0 °C

Maximum operating temperature	40 °C
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	10 - 85%
Logistics data	
Pallet gross width	100 cm
Pallet gross length	120 cm
Pallet gross height	120 cm
Pallet gross weight	270 kg
Master (outer) case width	256 mm
Master (outer) case length	345 mm
Master (outer) case height	236 mm
Master (outer) case gross weight	5.7 kg
Technical details	
Pallet net height	12 cm
Pallet net length	120 cm
Pallet net width	100 cm
Pallet net weight	12 kg
Compliance certificates	CE, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), Low Voltage Directive (LVD), REACH, RoHS, UKCA

Dokumentai ir vaizdo įrašai

> [Vaizdo įrašas](#) objects.icecat.biz/objects/128737809_63272929.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Verbatim

ATSAKINGAS ASMUO ES

Verbatim GmbH

Düsseldorfer Strasse 13, 65760 Eschborn, DE

verbatim-europe.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt