HP CLR LASERJET ENT 4701DN PRINTER:EUR Colour A4

Gamintojas: **HP INC** · Modelis: **67P98A#B19** · EAN: **199251503207** · Prekės kodas: **971184**



754,89 €

Kaina su PVM

Be PVM: **623,88 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Laser Colour
- ✓ A4 33 ppm
- ✓ Duplex printing
- ✓ USB port Ethernet LAN Bluetooth
- ✓ LCD Built-in display
- ✓ Maximum duty cycle: 100000 pages per month
- ✓ Total number of input trays: 2 Total input capacity: 300 sheets Total output capacity: 150 sheets
- ✓ Internal memory: 2048 MB 1400 MHz







Aprašymas

HP Color LaserJet Enterprise 4701dn A4, 33ppm, Col, SF, duplex, network (67P98A#B19)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Print speed (black, normal quality, A4/US Letter)	33 ppm
Duplex printing mode	Auto
Print speed (colour, normal quality, A4/US Letter)	33 ppm
Warm-up time	160 s
Time to first page (black, normal)	5.8 s
Time to first page (colour, normal)	6.4 s
Watermark printing	Yes
Features	
Maximum duty cycle	100000 pages per month
Number of print cartridges	4
Page description languages	PDF 1.7, PCL 5, PCL 6
Recommended duty cycle	1600 - 4200 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
Country of origin	Vietnam
HP segment	Enterprise
Input & output capacity	
Total number of input trays	2
Total input capacity	300 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	50 sheets
Paper tray 2 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets
Maximum number of input trays	4
Maximum input capacity	1400 sheets
Maximum output capacity	150 sheets
Paper handling	
Maximum ISO A-series paper size	A4

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Paper tray media types	Plain paper, Glossy paper, Bond paper, Photo paper, Recycled paper, Matte paper, Envelopes, Card stock, Heavy paper, Thick paper, Lightweight paper, Rough paper, Postcard, Letterhead
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 356 mm
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15,14.8x10 cm
Custom media width	76.2 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 200 g/m²

Ports & interfaces

USB port	Yes
USB 2.0 ports quantity	3

Network

Ethernet LAN	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, TLS, FIPS 140, HTTPS, IPSec
Mobile printing technologies	Mopria Print Service, Apple AirPrint

Performance

Internal memory	2048 MB
Maximum internal memory	2048 MB
Card reader integrated	No
Processor frequency	1400 MHz
Sound pressure level (printing)	49 dB
Sound power level (printing)	6.1 dB

Design

Built-in display	Yes
Display	LCD
Colour display	Yes
Display diagonal	6.86 cm (2.7")
Control type	Touch

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Certification	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Power	
Power consumption (printing)	579 W
Power consumption (ready)	22 W
Power consumption (PowerSave)	0.07 W
Power consumption (off)	0.07 W
Energy Star Typical Electricity Consumption (TEC)	0.339 kWh/week
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 10 x64, Windows 10, Windows 11 x64, Windows 11
Mac operating systems supported	Mac OS X 14.0 Sonoma, MacOS
Other operating systems supported	ChromeOS, Android, iOS
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Sustainability	
Sustainability certificates	ENERGY STAR
Sustainable technologies and materials	Contains post-consumer recycled plastic; ENERGY STAR certified
Weight & dimensions	
Width	421 mm
Depth	427 mm
Height	297 mm
Weight	16.3 kg
Packaging data	
Package width	497 mm
Package depth	397 mm
Package height	583 mm
Package weight	21.1 kg
Packaging content	
Cartridge(s) included	Yes

Included cartridge capacity (black)	2300 pages
Included cartridge capacity (CMY)	2000 pages
Warranty card	Yes

Brand-specific features

HP Dynamic security	Yes
HP Security tools	Identity management: Role Based Access Control (RBAC) Walk-up and Remote Access; Admin PW Protected EWS and Remote Access, Self-signed Certificate; Encrypted passwords; Personal on-device user accounts; Account Lockout (time-based); Kerberos AuthN; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party passwordless, MFA solutions (e.g.; badge readers); Protected Access (embedded) end user passwordless MFA for Microsoft Entra ID; Proximity card reader, single sign-on, smart card. Network protection: IPsec/firewall with Certificate; Elliptic Curve Cryptography (ECC, EC-based certificates); Pre-Shared Key; Kerberos AuthN; Web Jetadmin fleet proxy; 802.1X (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS with Server Certificate Validation; Certificate Provisioning and CA support; Access Control List. Data privacy and protection: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated crypto libraries from Microsoft); SSL/TLS 1.2, TLS 1.3 support (HTTPS; Encrypted Credentials; Secure encrypted print support via UPD; Device protection: Continuous malware monitoring; HP SureStart with Quantum Resistant BIOS firmware Integrity checking, PQC protection, and self-healing recovery; Allowlisting code validation (DLLs, EXEs, etc.) at time of use; Memory Shield hardware-enforced Runtime Intrusion Detection and Control Flow Integrity with self-healing recovery; AI-powered Connection Inspector network behavior anomaly detection with self-healing recovery; Trusted Platform Module 2.0; Configurable Service PIN; EU RED, UK PSTI, Australia Cybersecurity Act 2024 compliant; Embedded VPN (select HP Enterprise models); Wi-Fi security; WPA Enterprise; Security lock slot; USB host port disablement; Hardware integration pocket (HIP). Testing, Validation, Common Criteria Certification.;/; NIST security checklist; Supply Chain Security ISO/IEC 20243 Certifications. Fleet security management: HP Security Manager policy and device certificate management, fleet firmware vulnerability assessment; Compatible with Device Security Syslog Messages processed and accessible in SIEM tools; HP Workforce

Logistics data

Pallet gross weight	538 kg

Technical details

Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	GS mark, CCC, BIS, cUL, UL, CE, BSMI

Other features

Power supply type	Internal (built-in) Power Supply
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Compatible operating systems	Windows 11 (64-bit and ARM64); Windows 10 (32-bit, 64-bit and ARM64); Android; iOS; macOS 14 Sonoma; macOS 15 Sequoia; macOS Tahoe v26; Linux; Linux: Debian 10; Linux: Debian 11; Linux: Elementary 6P; Linux: Fedora 31; Linux: Fedora 32; Linux: Fedora 33; Linux: Fedora 34; Linux: Fedora 35; Linux: Linuxmint 20.1; Linux: Linuxmint 20.2; Linux: Manjarolinux 20.2; Linux: Manjarolinux 21.0.7; Linux: Mxlinux 21; Linux: OpenSuse 15.1; Linux: OpenSuse 15.2; Linux: OpenSuse 15.3; Linux: Rhel 6; Linux: Rhel 7; Linux: Rhel 8; Linux: Zorin 15; Linux: Zorin 16; Chrome OS; Linux: Ubuntu 22.04; Linux: Ubuntu 22.10; Linux: Ubuntu 23.04; Linux: Ubuntu 23.10; Linux: Ubuntu 24.04
Processor frequency	1.4 GHz
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; optional Tray 4: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
Envelope feeder	No
Acoustic pressure emissions bystander (ready)	14 dB
Typical electricity consumption (TEC) number	0.339 kWh/Week (Blue Angel); 0.378 kWh/Week (Energy Star 3.0)
UNSPSC-code	43212105
Box contents	HP Color LaserJet Enterprise 4701dn printer; HP Black Original LaserJet Introductory Toner Cartridge (~2,300 pages); HP Cyan, Magenta, Yellow Original LaserJet Introductory Toner Cartridges (~2,000 pages each); Power Cord, Hardware Install Guide, Regulatory Flyer, Warranty Card(Japan, Brazil, Indonesia, Australia/New Zealand, Argentina, China)
Matmenys ir svoris	
Svoris	21,14kg

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt