
Kingston Technology FURY 64GB 6400MT/s DDR5 ECC Reg CL32 DIMM (Kit of 4) Renegade Pro EXPO

Gamintojas: **KINGSTON** · Modelis: **KF564R32RBEK4-64** · EAN: **740617340198** · Prekės kodas: **971626**



5 425,89 €

Kaina su PVM

Be PVM: **4 484,21 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ Overclocking with ECC
- ✓ Increased efficiency
- ✓ Intel® XMP 3.0 certified
- ✓ AMD EXPO™ certified
- ✓ Sleek aluminum heat spreaders featured on 7200MT/s+ speeds












Aprašymas

Overclockable ECC Registered DIMM

Kingston FURY™ Renegade Pro DDR5 RDIMM memory combines gamer-level performance with server-class memory. Next-gen workstations and high-end desktop platforms need DDR5 Registered DIMMs, and Kingston FURY Renegade Pro is there to provide creators, engineers, and data scientists with super-fast memory typically associated with gaming. Certified by Intel XMP® 3.0 or AMD EXPO™, modules are available up to 32GB, with kits of 4 or 8 up to 128GB and 256GB respectively. Available with a graphene label at speeds up to 6400MT/s or an aluminum heat spreader starting at 7200MT/s.

With over three decades of building reliable, high quality memory modules for the world’s largest data centers, Kingston features a line of overclockable server-class memory, Kingston FURY™ Renegade Pro DDR5 RDIMM. To meet the computing demands of next-gen Intel® or AMD workstation and high-end desktop platforms requiring the use of DDR5 Registered DIMMs, Kingston FURY Renegade Pro DDR5 RDIMM provides creators, engineers, and data science professionals with high performance memory normally reserved for gamers, without sacrificing the data integrity features and superior quality grade of Registered DIMMs.

DDR5 Registered DIMMs support ECC, capable of detecting and correcting bit errors. This is in addition to On-Die ECC, featured on all DDR5 DRAM components, which perform single bit error detection and correction to mitigate system lockups and data corruption.

Unleash pro-grade power with Kingston FURY Renegade Pro DDR5 RDIMM built for maximum speed, rock solid stability, and next level efficiency. Choose your performance mode with precision-tuned built-in profiles and build your ideal setup with single modules up to 32GB, kits of 4 up to 128GB, or kits of 8 up to 256GB. Available with a graphene label at speeds up to 6400MT/s or with an aluminum heat spreader starting at 7200MT/s.

Overclocking with ECC

Maintain data integrity while pushing the limits of DDR5 performance.

Increased efficiency

With double the banks and burst lengths, keep up with the demands of the latest programs and applications with improved efficiency and lower latencies.

Intel® XMP 3.0 certified

Select one of the built-in Intel XMP 3.0 profiles in the BIOS to maximize memory performance with advanced pre-optimized timings, speeds, and voltage.

AMD EXPO™ Certified

AMD EXPO (Extended Profiles for Overclocking) Certified modules include AMD EXPO and Intel XMP 3.0 profiles, enabling compatibility with the platform of your choice by selecting the corresponding profile in the BIOS.

Sleek aluminum heat spreaders featured on 7200MT/s+ speeds

Maximize cooling with high performance heat spreaders across all modules starting at 7200MT/s and above.

Techninė specifikacija

Features	
Internal memory	64 GB
Memory layout (modules x size)	4 x 16 GB

Internal memory type	DDR5
Memory data transfer rate	6400 MT/s
Component for	PC/Server
Memory form factor	288-pin DIMM
ECC	Yes
On-Die ECC	Yes
CAS latency	32
Memory channels	Dual-channel
Buffered memory type	Registered (buffered)
Memory ranking	1
Memory voltage	1.4 V
Module configuration	2048M x 80
Row cycle time	48 ns
Refresh row cycle time	295 ns
Row active time	32 ns
AMD Extended Profiles for Overclocking (EXPO)	Yes
AMD Extended Profiles for Overclocking (EXPO) version	1.1
SPD profile	Yes
Programming power voltage (VPP)	1.8 V
Product colour	Black
Cooling type	Heatsink
Lead plating	Gold
JEDEC standard	Yes

Operational conditions

Operating temperature (T-T)	0 - 95 °C
Storage temperature (T-T)	-55 - 100 °C

Sustainability

Compliance certificates	RoHS
Sustainability compliance	Yes

Weight & dimensions

Width	3.8 mm
Depth	133.3 mm
Height	31.2 mm
Weight	72.8 g

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Packaging data	
Package width	104.1 mm
Package depth	167.6 mm
Package height	35.6 mm
Package weight	109.34 g
Logistics data	
Products per master (outer) case	10 pc(s)
Master (outer) case width	207 mm
Master (outer) case length	469.9 mm
Master (outer) case height	105.4 mm
Master (outer) case gross weight	1.45 kg
Other features	
Country of origin	China, Taiwan
Doesn't contain	Halogen

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Vaizdo įrašas objects.icecat.biz/objects/117477026_36740068.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Kingston Technology

ATSAKINGAS ASMUO ES

Kingston Technology Deutschland GmbH
Leonrodstraße 56, D-80636 München, DE
kingston.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.