Lindy 10m USB 3.0 Active Extension Slim

Gamintojas: **LINDY** · Modelis: **43403** · EAN: **4002888434034** · Prekės kodas: **971789**



74,90 €

Kaina su PVM

Be PVM: **61,90 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB 3.0 Active Extension Repeater Lead
- ✓ Supports transfer rates up to 5Gbps
- ✓ For even greater distances simply connect up to 5 cables in series
- ✓ USB Power Adapter cable included






Aprašymas

The Lindy USB 3.0 Active Extension Cable uses built-in active electronics to extend the cable length of a USB 3.0 device by an additional 3m whilst continuing to support data transfer rates of up to 5Gbps. With its USB A male and USB A female connector it allows Type A devices such as storage devices, webcams and other Type A devices to be connected at longer distances to PCs, laptops and tablets, while also ensuring flexible positioning.

Up to 5 of these USB 3.0 Active Extensions Slim can be chained together. In addition, a maximum of 5 of the different cable lengths of these USB 3.0 Active Extensions Slim can be combined with each other. The only exception is the 15m version No. 43404: as it has 2 chipsets, a maximum of 3 other USB 3.0 Active Extensions Slim can be combined with it.

The Lindy USB 3.0 Active Extension Slim is supplied with power via the USB bus, but also has a DC socket for connecting a power supply unit for devices with high power requirements or if you want to connect several cables in series.

The Lindy USB 3.0 Active Extension Cable is compatible with all USB Type A equipped computers. The cable's unique and slim design allows installation in narrow surroundings - an advantage over other active USB leads which use bulky connectors. With plug and play functionality, this extension cable can be installed quickly and with minimum fuss, ideal for both professional and first time users.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Information about USB 3.0, 3.1 & 3.2

USB 3.0, USB 3.1 and USB 3.2 PCs, cables and devices are all compatible with each other, when using either a USB Type A or USB Type C host interface.
USB 3.0, USB 3.1 Gen 1 and USB 3.2 Gen 1 all support data transfer rates up to 5 Gbps.
USB 3.1 Gen 2 and USB 3.2 Gen 2 both support data transfer rates up to 10 Gbps.

Techninė specifikacija

Ports & interfaces	
Ports quantity	2
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Hub interfaces	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
Features	
Data transfer rate	5000 Mbit/s
Product colour	Black
Housing material	Acrylonitrile butadiene styrene (ABS)
LED indicators	Yes
Cable type	Round cable
AWG wire size	26
Cable jacket material	Polyvinyl chloride (PVC)
Cable length	10 m
Cable diameter	6.5 mm
Conductor material	Tinned copper
Connector contacts plating	Nickel
Plug and Play	Yes
Transmission medium	Twisted pair
Certification	CE, FCC, RoHS & REACH, CP65
Power	
Power supply type	DC
Weight & dimensions	
Weight	260 g
Connector 1 dimensions (WxDxH)	41.1 x 16.5 x 9.5 mm
Connector 2 dimensions (WxDxH)	67.5 x 22 x 13.5 mm
Packaging data	
Quantity per pack	1 pc(s)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Package width	236 mm
Package depth	255 mm
Package weight	300 g
Package type	Polybag
Packaging content	
Manual	Yes
Quick start guide	Yes
Operational conditions	
Minimum operating temperature	0 °C
Maximum operating temperature	40 °C
Operating temperature (T-T)	0 - 40 °C
Operating temperature (T-T)	32 - 104 °F
Storage temperature (T-T)	-10 - 60 °C
Technical details	
Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS
Matmenys ir svoris	
Svoris	0,86kg

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- CE ženklinimas

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.
Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH
Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.