Intellinet 19" Server Cabinet - Free Standing, 42U, 600x1200mm (width x depth), Black, Flatpack, Max 1500kg, Multi-Point Door Lock, One Lock Per Side Panel, Usable Depth 123 to 973mm, IP20 rated, Rack, Steel

Gamintojas: **INTELLINET** · Modelis: **713719** · EAN: **766623713719** · Prekės kodas: **972222**



1 886,90 €

Kaina su PVM

Be PVM: **1 559,42 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ideal for all 19 in. rackmount applications
- ✓ Maximum static load of 1500 kg
- ✓ Perforated door and ventilation slots provide excellent airflow
- ✓ Zinc-plated 19 in. mounting rails
- ✓ Antistatic powder coating on all panels
- ✓ Panels with up to 2 mm steel thickness
- ✓ IP20-rated housing
- ✓ Easily removable side and rear panels
- ✓ Multi-point door lock
- ✓ Two apertures allow cable inlet from top or bottom





Aprašymas

Intellinet Network Solutions Server Cabinets offer flexible and comprehensive solutions for your server installations. Our service starts with the shipping condition – get the completely assembled cabinet delivered or save space and money with the flatpack version.

Numerous 19″ options are available for housing, all with an installation depth of 1000 mm & 1200 mm. Cabinet heights range from 26 to 47 units in either black (RAL9005) or grey (RAL7035) colour, so there's a solution for every need. The removable side panels and the lockable doors make

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

cabling and component exchange particularly easy. Perforations on front and back provide excellent airflow.

We provide top quality in materials and workmanship, including a cold-rolled steel frame, zinc-plated 19″ mounting rails and antistatic powder coating on all panels.

Techninė specifikacija

Features	
Rack capacity	42U
Type	Freestanding rack
Maximum weight capacity	1500 kg
Product colour	Black
Material	Steel
Frame type	Closed
Removable side panels	Yes
Side panels included	Yes
Key lock	Yes
Front door key lock	Yes
Adjustable mounting rails	Yes
Adjustable depth	Yes
Adjustable feet	Yes
International Protection (IP) code	IP20
Certification	UL, Gost-R
Weight & dimensions	
Size (imperial)	48.3 cm (19")
Width	600 mm
Depth	1200 mm
Height	2057 mm
Weight	121 kg
Technical details	
Compliance certificates	CE, RoHS, UL
Matmenys ir svoris	
Svoris	121,00kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

IC Intracom Vertriebs GmbH
Löhbacher Str. 7, D-58553 Halver, DE
intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.