TP-Link VIGI C430 Turret IP security camera Indoor & outdoor 2304 x 1296 pixels Ceiling

Gamintojas: **TP-LINK** · Modelis: **VIGI C430(2.8MM)** · EAN: **4897098689929** · Prekės kodas: **972349**



53,91 €

Kaina su PVM

Be PVM: **44,55 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 3MP Super-High Definition: The camera comes with 3MP–more than enough pixels to pick up some of the more discrete details
- ✓ 24h Full-Color: Obtain 24-hour color details, even in pitch-black conditions, with its large-aperture lens, high-sensitivity sensor, and attached supplemental lights
- ✓ Human & Vehicle Classification: Distinguishes humans and vehicles from other objects, so you receive more accurate event notifications
- ✓ Smart Detection: Receive notifications and check feeds when someone crosses a boundary, enters an area you've set, obstructs the camera, or removes/abandons objects
- ✓ Built-In Microphone: Features a built-in microphone to record anything going on within a 15-ft radius of the camera
- ✓ H.265+: Without using any extra bandwidth, your cameras transmit compressed crystal-clear video to save disk space, ease network loads, and reduce monitoring costs without sacrificing image quality
- ✓ Smart Video Enhancement: VIGI's professional technologies process videos to greatly improve their quality that is vital to your monitoring, including Smart IR, WDR, 3D DNR, and Night Vision
- ✓ PoE/12V DC: Two types of power supply not only give you more convenience but also make your wiring remarkably easy
- ✓ Flexible Management: Take full control over your security via four management methods: the web UI, NVR UI, VIGI app, and VIGI Security Manager



Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Aprašymas

All The Colors, All The Time
3MP Full-Color Turret Network Camera

Clarity and Colors, All in One

Monitor 24-hour clear and colorful details even in pitch dark night. VIGI Full-Color camera provides maximum 3MP resolutions and ensures colorful monitoring with its large-aperture lens, high-sensitivity sensor, and attached supplemental lights.

Human & Vehicle Classification

Integrated AI chips support advanced algorithms to distinguish humans and vehicles from other objects. You can flexibly customize alarm rules to match your monitoring needs and receive more accurate event notifications.

We keep an eye on your business.
Smart Detection
Backed by AI algorithms, the VIGI camera offers more smart detection. You will receive notifications when someone crosses a boundary, enters an area you've set, obstructs the camera, or removes/abandons objects.

No more silent surveillance.
Built-In Microphone
The VIGI camera features a built-in microphone to record anything going on within a 15-ft radius of the camera. This gives you more detailed monitoring for greater peace of mind.

Never miss a detail.
SmartVid-Smart Video Enhancement
VIGI’s professional technologies process videos to greatly improve their quality that is vital to your monitoring, including Smart IR, WDR, 3D DNR, and Night Vision.

More compression. More savings. Same quality.
Without using any extra bandwidth, your cameras transmit compressed crystal-clear video to save disk space, ease network loads, and reduce monitoring costs without sacrificing image quality.

Plug & Play with One Cable

Enjoy simple wiring with PoE connections. Connect your camera with an RJ45 cable, then your power supply and data transmission are all settled.

Flexible Management

Take full control over your security via four management methods: the web UI, NVR UI, VIGI app, and VIGI Security Manager.

Flexible Installation Gives You More Convenience.
Easily route your camera’s cable into a dropped ceiling or avoid drilling by slotting it through the camera’s side outlet.

One system. Full security.
Run your business with peace of mind.
The VIGI professional surveillance system by TP-Link is dedicated to protecting the business you’ve worked hard to build — whenever, wherever. Our outstanding functions, reliable quality guarantees, and simplified installation work together to ensure your business stays safe and sound.

Techninė specifikacija

Performance	
Type	IP security camera

Placement supported	Indoor & outdoor
Connectivity technology	Wired
Wide Dynamic Range (WDR)	Yes
Day/night mode	Yes
Infrared (IR) cut-off filter	Yes
Design	
Mounting type	Ceiling
Product colour	Black, White
Form factor	Turret
Housing material	Plastic
Camera	
Minimum illumination	0.005 lx
Lens viewing angle, horizontal	107.5°
Lens viewing angle, vertical	57.2°
Lens viewing angle, diagonal	128.7°
Image sensor	
Sensor type	CMOS
Number of sensors	1
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Progressive scan	Yes
Lens system	
Number of lenses	1
Fixed focal length	2.8 mm
Night vision	
Night vision	Yes
Night vision distance	30 m
Video	
Maximum resolution	2304 x 1296 pixels
Total megapixels	3 MP
Video compression formats	H.264, H.264+, H.265, H.265+
Supported graphics resolutions	320 x 240, 352 x 288, 640 x 480 (VGA), 704 x 576, 1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296
Frame rate	25 fps
Image quality adjustment	Brightness, Contrast, Mirror, Saturation
Privacy masking	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Bit rate	64 Kbps - 4 Mbps
Back Light Compensation (BLC)	Yes
Highlight Compensation (HLC)	Yes
Digital Wide Dynamic Range (DWDR)	Yes
Region of Interest (ROI) encoding	Yes
Smart IR	Yes
3D positioning	Yes
Audio	
Built-in microphone	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	No
Bluetooth	No
Networking standards	IEEE 802.3af, IEEE 802.3at
Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP UDP, SSL/TLS
Live view	Yes
Number of simultaneous live view channels	3 channels
Storage	
Built-in HDD	No
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Password protection	Yes
Video motion detection	Yes
Active tampering alarm	Yes
IP address filtering	Yes
HTTPS encryption	Yes
Intelligent Video Surveillance (IVS) system features	Human detection, Vehicle detection
Mirror	Yes
Password reset via email	Yes
Human and vehicle targets classification	Yes
Digest authentication	Yes
Management features	
Behavior analysis	Intrusion detection, Line crossing detection, Object removal detection, Region entrance detection, Region exiting detection

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Power	
Power source type	DC, PoE
Power consumption (max)	4.2 W
Operational conditions	
Operating temperature (T-T)	-30 - 60 °C
Weight & dimensions	
Width	123 mm
Depth	83 mm
Height	123 mm
Sustainability	
Compliance certificates	BSMI, CE
Sustainability compliance	Yes
Packaging content	
Number of cameras	1
Mounting kit	Yes
Manual	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	16,00cm × 16,00cm × 12,00cm
Svoris	0,39kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt