Zebra DS8108-SR Rankinis brūkšninių kodų skaitytuvas 1D/2D LED Juoda

Gamintojas: **ZEBRA** · Modelis: **DS8108-SR00007ZZWW** · EAN: **5706998096357** · Prekės kodas: **972902**



270,89 €

Kaina su PVM

Be PVM: **223,88 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Rankinis brūkšninių kodų skaitytuvas Juoda
- ✓ Skenerio tipas: 1D/2D Jutiklio tipas: LED
- ✓ Codabar, Code 11, Code 128, Code 39, Code 93, GS1 DataBar Expanded, Interleaved 2 of 5, MSI, Plessey, U.P.C. Aztec Code, Sudėtiniai kodai, Duomenų matrica, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
- ✓ Polinkio skaitymo kampas: 0 - 360°
- ✓ Vielinis Standartinės sąsajos: USB



Aprašymas

THE ULTIMATE IN PERFORMANCE, INNOVATION AND MANAGEABILITY

The checkout stand is the last chance you have to leave shoppers with a good impression. The quality of the checkout experience is heavily dependent upon the performance of the scanner you choose. Now, you can leave every shopper with the ultimate last impression with the DS8100 Series handheld imager.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

The DS8100 Series rises above conventional imagers to deliver unprecedented scanning performance on virtually every 1D and 2D barcode, keeping your checkout lines moving and your cashiers free to deliver a more personal checkout experience. The DS8100 Series — because when it comes to the checkout experience in your store, only the best will do.

UNPRECEDENTED PERFORMANCE

Only the DS8100 Series combines the power of an 800 MHz microprocessor, a high-resolution megapixel sensor and Zebra’s exclusive PRZM technology. With this unique combination of hardware and advanced algorithms, the DS8100 Series instantly captures the most problematic barcodes with lightning speed, including dense, poorly printed, crinkled, faded, distorted, dirty or damaged barcodes and electronic barcodes on smartphones — even when the screen is dimly lit.

INNOVATION BEYOND THE BARCODE

A wide range of innovations allows workers to do much more than scan barcodes one at a time. Workers can simultaneously capture multiple barcodes and transmit only those required in the proper directly to your application. Only the DS8100 Series can capture the information on a full 8.5 x 11 or A4 page, process the desired information into the right format for electronic storage and transmit the data to your applications — all with one press of the trigger. And support for Digimarc*© barcodes provides future-proofing, ensuring that the DS8100 Series you deploy today can support the barcodes of tomorrow.

Only the DS8100 Series combines the power of an 800 MHz microprocessor, a high-resolution megapixel sensor and Zebra’s exclusive PRZM technology. With this unique combination of hardware and advanced algorithms, the DS8100 Series instantly captures the most problematic barcodes with lightning speed, including dense, poorly printed, crinkled, faded, distorted, dirty or damaged barcodes and electronic barcodes on smartphones — even when the screen is dimly lit.

UNRIVALED MANAGEABILITY

Our complimentary tools deliver unrivaled manageability. With visionary visibility into scanning performance and battery metrics, you can spot and correct issues before they impact device uptime, worker productivity and the quality of your customer service. You can control many aspects of your scanners from any Android, iOS and Windows smartphone or tablet, as well as any iOS or Windows PC. You can create a single configuration barcode to customize settings. And you can stage, configure and update firmware on all your DS8100 devices in all of your locations — no user actions required.

Techninė specifikacija

Nuskaitymas	
Tipas	Rankinis brūkšninių kodų skaitytuvas
Skenerio tipas	1D/2D
Jutiklio tipas	LED
Palaikomi linijiniai (1D) brūkšniniai kodai	Codabar, Code 11, Code 128, Code 39, Code 93, GS1 DataBar Expanded, Interleaved 2 of 5, MSI, Plessey, U.P.C.
Palaikomi 2D (matricos ir sudėtiniai) brūkšniniai kodai	Aztec Code, Sudėtiniai kodai, Duomenų matrica, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
Bangos ilgis	617 nm
Polinkio skaitymo kampas	0 - 360°
Pitch skaitymo kampas	-60 - 60°
Pokrypio skaitymo kampas	-60 - 60°
Ryšys	

Ryšio technologija	Vielinis
Standartinės sąsajos	USB
Veikimo charakteristikos	
Produkto spalva	Juoda
Tarptautinės apsaugos (IP) kodas	IP42
Energijos valdymas	
Įėjimo įtampa	5 V
Energijos suvartojimas	450 mA
Svoris ir matmenys	
Svoris	156 g
Plotis	66 mm
Ilgis	107 mm
Aukštis	168 mm
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 50 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 70 °C
Darbo santykinės drėgmės diapazonas	5 - 95%
Logistikos duomenys	
Darniosios sistemos (DS) kodas	84716070
Matmenys ir svoris	
Svoris	0,25kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Zebra

ATSAKINGAS ASMUO ES

Zebra Technologies
Borupvang 3, Ballerup, DK
zebra.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.