Verbatim USB-C Essentials Multiport Hub 6 ports: RJ45, HDMI, USB-C PD, 3 x USB-A 3.2 Gen 1

Gamintojas: **VERBATIM** · Modelis: **32157** · EAN: **023942321576** · Prekės kodas: **973633**



32,90 €

Kaina su PVM

Be PVM: **27,19 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ Ports: RJ45, HDMI, USB-C PD, 3 x USB-A 3.2 Gen 1
- ✓ Pass-through PD Charging: Supports up to 100W power delivery to charge your laptop while using the hub
- ✓ RJ45 ethernet connection
- ✓ Durable build for long-term use
- ✓ Compatibility: Supports multiple operating systems including Windows, Mac OS, Chrome OS, Linux, and Android
- ✓ Plastic-free packaging













Aprašymas

Expand Your Network and Connections

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Effortlessly convert a single USB-C® port into six diverse ports, including an RJ45 Ethernet, HDMI, USB-C PD 3.0 and multiple USB-A 3.2 Gen 1 ports. This hub is designed for users who need stable network access and extensive connectivity options.

Data Performance

Leverage USB 3.2 Gen 1 technology for fast data transfers up to 5Gb/s. The RJ45 Ethernet port ensures a reliable, high-speed internet connection up to 1Gb/s, ideal for uninterrupted online activities.

Exceptional Video Quality

Connect to a 4K display via the HDMI port for vivid and sharp visuals. Perfect for presentations, video conferences, or enjoying high-definition media, this hub delivers a superior viewing experience.

Techninė specifikacija

Ports & interfaces	
Ports quantity	6
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Hub interfaces	HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
HDMI ports quantity	1
Ethernet LAN (RJ-45) ports	1
Features	
Data transfer rate	5000 Mbit/s
Supported graphics resolutions	3840 x 2160
Maximum resolution (HDMI)	3840 x 2160 pixels
Product colour	Grey
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HD type	4K Ultra HD
Number of displays supported	1
Cable type	Round cable
Cable length	0.15 m
Plug and Play	Yes
Country of origin	China
Network	

Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	100,1000 Mbit/s
Power	
Power supply type	USB
Input voltage	5 - 20 V
Output voltage	5 V
Output current	0.9 A
System requirements	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Linux operating systems supported	Yes
Other operating systems supported	Android
Weight & dimensions	
Width	47 mm
Depth	105 mm
Height	16.4 mm
Weight	80 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	85 mm
Package depth	155 mm
Package height	22 mm
Package weight	130 g
Package type	Box
Packaging content	
Quick start guide	Yes
Operational conditions	
Minimum operating temperature	0 °C
Maximum operating temperature	40 °C
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Operating relative humidity (H-H)	10 - 85%
Logistics data	
Pallet gross width	100 cm
Pallet gross length	120 cm
Pallet gross height	120 cm
Pallet gross weight	310 kg
Master (outer) case width	256 mm
Master (outer) case length	345 mm
Master (outer) case height	236 mm
Master (outer) case gross weight	6.58 kg
Technical details	
Pallet net height	12 cm
Pallet net length	120 cm
Pallet net width	100 cm
Pallet net weight	12 kg
Compliance certificates	CE, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), Low Voltage Directive (LVD), REACH, RoHS, UKCA

Dokumentai ir vaizdo įrašai

› Vaizdo įrašas objects.icecat.biz/objects/128737808_63272877.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Verbatim

ATSAKINGAS ASMUO ES

Verbatim GmbH
Düsseldorfer Strasse 13, 65760 Eschborn, DE
verbatim-europe.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt