APC Smart-UPS On-Line, 1500VA, Rackmount 2U, 230V, 8x C13 IEC outlets, Network Card, W/ rail kit, Used W/O Lithium-ion external battery

Gamintojas: **APC** · Modelis: **SRT1500UXI-NCLI** · EAN: **731304338727** · Prekės kodas: **973641**



2 372,89 €

Kaina su PVM

Be PVM: **1 961,07 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1500VA/1350W double-conversion on-line pure sine wave rackmount 2U UPS
- ✓ Ideal for servers, storage, voice/data networks, medical labs, and light industrial applications
- ✓ Graceful shutdown of physical servers, virtual machines and HCI Clusters
- ✓ Delivers clean power with zero transfer time for critical or sensitive devices
- ✓ Preinstalled Network Management Card for network-based UPS monitoring & management

Aprašymas

This APC Smart-UPS SRT1500UXI-NCLI is designed for IT professionals or network administrators to maintain business uptime and continuity. This 1500VA on-line 2U rackmount UPS provides pure sine wave power and extended runtime to support critical electronics during power disruptions. It comes with 1x IEC 320 C14 input and 8x IEC 320 C13 outlets. The UPS has a preinstalled Network Management Card for UPS network-based monitoring and management. The UPS comes with PowerChute Network Shutdown that provides graceful shutdown of physical servers, virtual machines, and HCI clusters. The UPS can connect to EcoStruxure IT or third-party centralized management platforms. The UPS has a 5-year warranty, and has to be used with an external Lithium-ion battery sold separately.

Techninė specifikacija

Features	
UPS topology	Double-conversion (Online)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Output power capacity	1.5 kVA
Output power	1350 W
Waveform	Sine
Input operation voltage (min)	80 V
Input operation voltage (max)	240 V
Input frequency	40 - 70 Hz
Output operation voltage (min)	220 V
Output operation voltage (max)	240 V
Output frequency	50/60 Hz
Surge energy rating	340 J
Heat dissipation	450 BTU/h
Crest factor	3:1
Output voltage Total Harmonic Distortion (THD)	2%
Noise level	50 dB
Ports & interfaces	
AC outlet types	C13 coupler, C14 coupler
AC outlets quantity	8 AC outlet(s)
USB port	Yes
Serial ports quantity	1
Ethernet LAN (RJ-45) ports	1
Emergency Power Off (EPO) connector	Yes
SmartSlot	Yes
Design	
Form factor	Rackmount
Product colour	Black
Rack capacity	2U
International Protection (IP) code	IP20
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-15 - 45 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Operating altitude	0 - 3048 m
Non-operating altitude	0 - 15240 m

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Certificates	
Certification	CE, CE Mark, EAC, RCM, UK PSTI, VDE
Weight & dimensions	
Width	432 mm
Depth	590 mm
Height	85 mm
Weight	17.5 kg
Packaging data	
Package width	810 mm
Package depth	600 mm
Package height	245 mm
Package weight	28.2 kg
Logistics data	
Total carbon footprint (kg of CO2e)	2523.22
Matmenys ir svoris	
Matmenys (I × P × A)	82,00cm × 59,00cm × 24,00cm

Gamintojo ir saugos informacija

GAMINTOJAS

Schneider Electric SE
rue Joseph Monier 35, 92500 Rueil Malmaison, FR
se.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.