TP-Link 2.5G PoE+ Injector

Gamintojas: **TP-LINK** · Modelis: **TL-POE260S** · EAN: **840030708558** · Prekės kodas: **974856**



35,90 €

Kaina su PVM

Be PVM: **29,67 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2*2.5 Gbps ports ensure faster transmission
- ✓ Complies with IEEE802.3af/at standards, supplies up to 30 W
- ✓ Reduces infrastructure costs by transmitting data and power simultaneously via an Ethernet cable
- ✓ Automatically determines and supplies the exact power to meet the device's need
- ✓ Wall-mounting and desktop design accommodates most installation scenarios
- ✓ Plug & Play installation, requires no configuration
- ✓ Integrated power supply



Aprašymas

The 2.5G PoE+ Injector TL-POE260S fully complies with IEEE 802.3af/at standards, and can work with all IEEE 802.3af/at PoE compliant PDs (Powered Devices) or other equivalent products, to expand your network to where there are no power line or outlet, where you wish to fix device such as 2.5G AP, HD IP Camera or IP Phone, etc.

Techninė specifikacija

Network	
Ethernet interface type	2.5 Gigabit Ethernet

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Ethernet LAN data rates	10,100,1000,2500 Mbit/s
Networking standards	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bz, IEEE 802.3i, IEEE 802.3u
Features	
Product colour	Black
Wall mountable	Yes
Easy to install	Yes
Power	
Output power	30 W
AC adapter input voltage	100 - 240 V
AC adapter frequency	50/60 Hz
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating temperature (T-T)	32 - 104 °F
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	125 mm
Depth	59.4 mm
Height	36.8 mm
Packaging content	
Number of products included	1 pc(s)
Wall mounting kit	Yes
Quick installation guide	Yes
Manual	Yes
Packaging content	• 2.5Gbps PoE+ Injector TL-POE260S • Installation Guide • Power Cord • RJ45 Cable • Wall Mounting Kits
Matmenys ir svoris	
Matmenys (I × P × A)	17,00cm × 23,00cm × 8,00cm
Svoris	0,50kg

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

› Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt