LG CreateBoard Standard Interaktyvioji lenta 2,18 m (86") 3840 x 2160 pikseliai Lietimui jautrus ekranas Juoda

Gamintojas: **LG** · Modelis: **86TR3DQ-B.AUEQ** · EAN: **8806096421239** · Prekės kodas: **975526**



3 123,91 €

Kaina su PVM

Be PVM: **2 581,74 €**


Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Lietimui jautrus ekranas 2,18 m (86") IPS Juoda
- ✓ 4K Ultra HD 3840 x 2160 pikseliai 16:9
- ✓ 400 cd/m² 1200:1 8 ms 60 Hz
- ✓ Įmontuoti garsiakalbiai 40 W Įmontuotas žemų dažnių generatorius
- ✓ Wi-Fi 6E (802.11ax) Bluetooth 5.3
- ✓ VESA tvirtinimo pagrindas 800 x 600 mm
- ✓ 400 W



Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Innovate, Collaborate, and Create with Seamless Technology, LG CreateBoard

Creative Whiteboard Solution

LG CreateBoard offers a lifelike touch experience, allowing users to interact with content directly on the board. You can write, draw, zoom, and rotate using just your fingers, making it an effective tool for creative projects or presentations. Additionally, LG CreateBoard enables screen and content sharing, making it an excellent tool for seamless collaboration even with remote team members.

Various Teaching Templates

LG CreateBoard offers a variety of educational templates and tools such as a ruler, table, and sticky note, fostering active student participation and facilitating intuitive lessons.

Easy to Save / Import / Export

LG CreateBoard incorporates straightforward import and export features. Resources can be saved and directly imported to and from Google Drive or OneDrive. After meetings, you can directly send emails to share materials, or scan a QR code to transfer them to your personal device.

LG CreateBoard Lab
LG’s proprietary whiteboarding software

Tools for Fluid Discussion

A variety of tools such as a calculator, clock, and sticky note are available to facilitate smooth discussions and ensure seamless idea sharing and communication. Also, users can personalize the menu bar with their most frequently used tools, thereby improving their work efficiency.

Web Browser

When you need a reference during a discussion, you can access various online information in real time with the simple click of a web browser. The necessary information found on the internet can be easily dragged and dropped into the material you’re creating, enhancing the productivity of your meetings.

Multi-OS Support

LG CreateBoard Lab offers multi-OS support, allowing users to utilize it not only with LG CreateBoard but also with other devices. This enables users to maintain a seamless experience on tablets, laptops, and various other devices, even outside the classroom.

LG CreateBoard Share

LG CreateBoard Share offers a wireless screen sharing feature, providing users with a flexible discussion environment. Users can share their screen from their own PC, tablet, or smartphone, simplifying the process of sharing and collaborating on team projects or presentation materials.

Wireless ScreenShare Feature for Seamless Meeting Environment

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

LG CreateBoard Share establishes a seamless and stable meeting room without the need for extra cables or connections. Presenters can now share their screens without the need to inconveniently move around and unplug and plug cables each time the presenter changes. With the capability to share up to 9 screens in real-time, it’s possible to display multiple people’s materials simultaneously when needed, thereby enhancing the efficiency of collaboration.

Simple Connection to LG CreateBoard Share

Users can easily utilize the wireless screen sharing feature via LG CreateBoard Share app, and even without the app, they can still conveniently access this feature through the website. A quick connection to LG CreateBoard Share can be established by entering a 6-digit code.

Presentation Convenience and Flexibility in Meeting Room

Wireless screen sharing empowers presenters to navigate freely within a meeting room, unencumbered by cables. This feature enables them to seamlessly control their presentations directly from their own devices. In addition, they can conveniently send photos and videos stored on their personal devices, enhancing the fluidity and richness of their presentations.

Presentation Convenience and Flexibility in Classroom

In the classroom, the lecturer or presenter doesn’t need to conduct the lesson near the LG CreateBoard, but can flexibly conduct the lesson from anywhere in the classroom. This promotes a more flexible classroom environment and can help keep students more focused.

Secure Mode

LG CreateBoard Share supports Secure Mode, which allows users to grant permissions for sharing. Secure Mode prevents unauthorized users from sharing their screen.

LG ConnectedCare

LG ConnectedCare is a cloud solution for remotely monitoring, controlling, and managing the status of LG CreateBoard and LG signage displays. This feature enables IT managers to operate and manage important resources on operating devices without physically visiting sites.

Dashboard

The LG ConnectedCare dashboard allows you to view and monitor multiple devices at the same time, thereby saving time and boosting efficiency.

Remote-control

The LG ConnectedCare enables centralized and simple control of digital signage connected to the system. Frequently used functions such as power on/off, scheduling and screen brightness adjustment can be applied remotely

Broadcasting

Messages and a range of other content can be sent from the main system to individual devices connected to LG ConnectedCare. Company events or announcements can be broadcasted remotely from the cental system at once.

Alert Message

In case of urgent occasions such as a fire or a natural disaster, alert messages can be distributed manually across the system, which help teachers and students to swiftly perceive the situation and promptly take safety action.

Google Certification

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

LG CreateBoard has received Google certification, enabling users to seamlessly integrate with the Google ecosystem by connecting their Google accounts.

Google Play Store

Users have access to the Google Play Store, where they can download a wide range of applications, including educationrelated games, tools, and more for an expanded experience.

Screen Lock

Users can lock the screen using the Screen Lock function, and unlock it by entering a password. This protective measure can be set up in the Settings menu, safeguarding the device from unauthorized access.

USB Lock Mode

USB Lock Mode is a security measure that helps prevent data from being copied to unauthorized devices, which is essential when being used in spaces where security is critical.

Auto-remove Files

Users can set LG CreateBoard to delete files regularly for enhanced security.

Multi-touch

LG CreateBoard boasts a multi-touch functionality that can concurrently detect up to 50 touch points. This feature facilitates simultaneous touch and gesture inputs from multiple users, fostering easy collaboration and idea sharing among team members. This enables efficient interaction in group activities or meetings.

C-type Connection

USB-C connectivity simplifies connections which enables charging and sending data simultaneously over just one single cable.

Bluetooth Connectivity

LG CreateBoard supports wireless Bluetooth connections to various devices such as a speaker, mouse, keyboard, etc. This is optimal for building a hybrid environment so that online and offline classes can proceed smoothly.

Front Connectivity Design

LG CreateBoard is designed with front display ports, making it easy for users to connect or disconnect cables.

Front Speaker and Subwoofer

LG CreateBoard delivers audio clarity with powerful front-facing speakers and a dedicated subwoofer. LG CreateBoard provides reliable sound quality that supports effective communication and collaboration without the need for additional audio equipment.

Advanced Eye-care

LG CreateBoard has introduced a flicker-free function. With the reduced flickering of the monitor’s backlight, users can use the device with more comfort even when using it for a long time.

Built-in OPS Slot

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

LG CreateBoard supports OPS slots, allowing users to conveniently mount OPS Module at the back of the screen without the hassle of connecting to an external desktop. This enables various PC functions and Windows software.

Multi-screen Mode

LG CreateBoard supports a multi-screen mode, allowing users to utilize multiple screens simultaneously. Users can take notes, play videos, and browse the web at the same time, thereby enhancing work efficiency.

Techninė specifikacija

Ekranas	
Ekrano įstrižainė	2,18 m (86")
Lietimui jautrus ekranas	Taip
Ekrano ryškumas	400 cd/m²
Ekrano spalvų skaičius	1,07 milijardo spalvų
Ekrano rezoliucija	3840 x 2160 pikseliai
Neblizgantis ekranas	Taip
HD tipas	4K Ultra HD
Skydo tipas	IPS
LED galinis apšvietimas	Taip
LED galinio apšvietimo tipas	„Direct-LED“
Natūralus kraštinių santykis	16:9
Kontrasto santykis (tipinis)	1200:1
Kontrasto santykis (dinaminis)	5000:1
Reakcijos laikas	8 ms
Maksimalus atnaujinimo dažnis	60 Hz
Lietimui jautri technologija	„Multi-touch“
Vienalaikių kontaktinių taškų skaičius	50
Jutiklinės sistemos atsako trukmė	5 ms
Liečiamo objekto dydis (maž.)	2 mm
Matymo kampas, horizontalus	178°
Matymo kampas, vertikalus	178°
Spalvų gama	72%
Ekrano stiklo storis	3,2 mm
Rankenų skaičius	1
Kompiuterinė sistema	
Numatyta operacinė sistema	Android
Operacinės sistemos versija	14

Integruotas procesorius	Taip
Procesoriaus architektūra	ARM Cortex A73 + ARM Cortex A53
Maksimali vidinė atmintis	64 GB
RAM talpa	8 GB
Grafinio adapterio šeima	ARM
Grafikos adapteris	Mali-G52 MP8
Garsas	
Įmontuoti garsiakalbiai	Taip
Garsiakalbio galingumas	40 W
Įmontuotas žemų dažnių generatorius	Taip
Žemųjų dažnių garsiakalbio RMS galia	20 W
Prožektorius	
Įmontuotas projektorius	Ne
Tinklas	
„Wi-Fi“	Taip
„Wi-Fi“ standartas	Wi-Fi 6E (802.11ax)
Bluetooth	Taip
Bluetooth versija	5.3
Wake-on-LAN pasirengimas	Taip
Ryšys	
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	5
USB 2.0 portų kiekis	1
USB jungtis	Micro-USB A, C tipo USB
HDMI portų kiekis	3
USB tipo C prievadų kiekis	2
HDMI išvesties prievadų kiekis	1
RGB portų kiekis	1
„DisplayPort“ kiekis	1
Ethernet LAN (RJ-45) portų kiekis	1
Įvedimas	Taip
OPS anga	1
S/PDIF out portas	Taip
RS-232 portai	1
Ergonomija	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Produkto spalva	Juoda
VESA tvirtinimo pagrindas	Taip
Suderinama su VESA sienos tvirtinimo sistema	800 x 600 mm
Montuojamas ant sienos	Taip
Vidutinis laikas tarp trikčių (MTBF)	50000 h
Sertifikavimas	IEC 62368-1:2018; UL 62368-1:2019
Veikimo charakteristikos	
Aplinkos šviesos jutiklis	Taip
Energijos valdymas	
Galios suvartojimas (maks.)	400 W
Energijos suvartojimas	235 W
Energijos suvartojimas (laukimo režimu)	0,5 W
AC įėjimo įtampa	100 - 240 V
AC įėjimo dažnis	50/60 Hz
Sistemos reikalavimai	
Palaikomos „Windows“ operacinės sistemos	Taip
Palaikomos MAC operacinės sistemos	Taip
Palaikoma operacinė sistema „Linux“	Taip
Palaikomos mobiliosios operacinės sistemos	Android
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 40 °C
Darbo santykinės drėgmės diapazonas	10 - 90%
Svoris ir matmenys	
Plotis	1957 mm
Aukštis	1170 mm
Ilgis	99,7 mm
Svoris	54,1 kg
Rėmelių plotis (kairės viršus, dešinės apačia)	15/25,6/15/43,5
Pakuotės duomenys	
Pakuotės plotis	2110 mm
Pakuotės gylis	225 mm
Pakuotės aukštis	1291 mm
Paketo svoris	70,7 kg
Pakuotės turinys	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Instrukcija	Taip
Pridėti kabeliai	HDMI, Energija, USB
Pridedamas nuotolinio valdymo pultelis	Taip
Greitos pradžios vadovas	Taip
Pridėtas pieštukas ekranui	Taip
Tvarumas	
Tvarumo sertifikatai	ENERGY STAR, EPEAT, ErP
Atitikties sertifikatai	Federalinė ryšių komisija (FCC)
Matmenys ir svoris	
Svoris	64,65kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Greitos pradžios vadovas

Gamintojo ir saugos informacija

GAMINTOJAS

LG Electronics Inc.
Magokjungang 10-ro 10, 07796 Gangseo-gu, Seoul, KR
lg.com

ATSAKINGAS ASMUO ES

LG Electronics Deutschland
Alfred-Herrhausen-Allee 45721, 65760 Eschborn, DE
lg.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt