Philips Signage Solutions 49BDL2105X/00 Signage Display 123.2 cm (48.5") IPS 500 cd/m² Full HD Black 24/7

Gamintojas: **PHILIPS** · Modelis: **49BDL2105X/00** · EAN: **8712581785918** · Prekės kodas: **975906**



1,428.90€

Kaina su PVM

Be PVM: **1,180.91€**

In Stock

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Indoor Black
- ✓ 123.2 cm (48.5") 1920 x 1080 pixels IPS 500 cd/m²
- ✓ Direct-LED 8 ms
- ✓ Ethernet LAN
- ✓ Built-in speaker(s) 20 W

Aprašymas

Philips Signage Solutions 49BDL2105X/00. Bildschirmdiagonale: 123,2 cm (48.5"), Bildschirmtechnologie: IPS, Display-Auflösung: 1920 x 1080 Pixel, Helligkeit: 500 cd/m², HD-Typ: Full HD. Betriebszeiten (Stunden/Tage): 24/7. Produktfarbe: Schwarz

Techninė specifikacija

Display	
Display diagonal	123.2 cm (48.5")
Display technology	IPS
Display resolution	1920 x 1080 pixels
Display brightness	500 cd/m²
HD type	Full HD
LED backlighting type	Direct-LED
Native aspect ratio	16:9

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Response time	8 ms
Contrast ratio (typical)	1100:1
Contrast ratio (dynamic)	500000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Pixel pitch	0.55926 x 0.55926 mm
Display diagonal (metric)	123 cm
Transparency	3%
Ports & interfaces	
HDMI ports quantity	2
DVI port	Yes
DisplayPorts quantity	2
USB port	Yes
HDMI version	2
HDMI input ports quantity	2
DVI-D ports quantity	1
VGA (D-Sub) input ports	1
DisplayPorts in	1
DisplayPorts out	1
USB ports quantity	1
USB version	2
USB connector type	USB Type-A
Ethernet LAN (RJ-45) ports	2
Audio (L/R) in	1
Audio (L/R) out	1
Remote (IR) input	1
Remote (IR) output	1
OPS module slot	Yes
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	20 W
Design	
Product colour	Black

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Placement supported	Indoor
VESA mounting	Yes
Orientation	Horizontal/Vertical
Panel mounting interface	400 x 400 mm
Mounting type	Wall
Performance	
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, German, English, Spanish, French, Italian, Japanese, Polish, Russian, Turkish
Operating hours (hours/days)	24/7
Mean time between failures (MTBF)	50000 h
Power	
Power consumption (typical)	100 W
Power consumption (standby)	0.5 W
Weight & dimensions	
Display width	1077.6 mm
Display depth	93.1 mm
Display height	607.8 mm
Display weight	21.7 kg
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	DisplayPort, AC, IR sensor, LAN (RJ-45)
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	5 - 95%
Certificates	
Certification	CE FCC Class A Restriction of Hazardous Substances (ROHS) CB ETL BSMI
Network	
Ethernet LAN	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Gamintojo ir saugos informacija

MANUFACTURER

Philips Nederland B.V.
High Tech Campus 52, 5656 AG Eindhoven, NL
philips.nl

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt